

# AVIATION

*The Oldest American Aeronautical Magazine*



## 3 INTERNATIONAL RECORDS *with* PRATT & WHITNEY ENGINES

Three international records in three days! These are among the brilliant achievements of Pratt & Whitney-powered Army airplanes during the Air Corps' celebration of its 30th Anniversary. The giant Boeing B-15 establishes a new world's load-carrying record and also sets a new long distance closed course speed record, while a Grumman OA-9 races to a new amphibian speed mark. All three of these new records were made with standard service equipment—including dependable Pratt & Whitney engines.



**PRATT & WHITNEY AIRCRAFT**

*One of the three divisions of*

**UNITED AIRCRAFT CORPORATION**

EAST HARTFORD, CONNECTICUT







## KOLLSMAN *announces the* TELEGON REMOTE INDICATING SYSTEM

In TELEGON the Kollsman Company makes available a proven remote indicating system whose principles, design, and construction bring new standards of economy and endurance to the field of remote indication.

TELEGON provides a simple means of indicating various functions of the engine, position of airplane parts, or other data at a point remote from their source, and does this in a way which facilitates maintenance, improves accuracy, and eliminates the danger inherent in long connecting tubes.

TELEGON achieves this by using a modification of the well-known principle of the self-synchronizing motor. Two such connected motors (each weighing but 4 ounces) constitute the operating heart of the system. The rotor of the transmitting motor is coupled to a standard instrument. The other motor, at the instrument board, causes a standard dial and pointer and indicates as though the pointer were directly connected to the remote instrument. When used as a position indicator, a simple linkage is employed to operate the transmitting unit.

TELEGON is available for use with any standard airplane instrument in both large (3½") and small (2½") size cases. In addition, indicators for many combinations of instruments are available. An example is the quadruple indicator illustrated, which occupies the space of one standard 3½" instrument, and which may indicate four functions of one engine, or one function of four engines.

Because standard instruments are used to operate the TELEGON transmitter, ground instruments are not made obsolete. Familiar methods of calibration and maintenance continue. TELEGON units require practically no attention.

All TELEGON indicators may be equipped with Kollsman Rim Lighting.

*You are invited to send for complete details.*

### KOLLSMAN INSTRUMENT COMPANY, INC.


1000 FORTY-FIFTH AVENUE

ELMHURST, NEW YORK

WESTERN BRANCH: 17000 CENTRAL AVE. TERMINAL, GLENDALE, CALIFORNIA

AVIATION  
September 1939

5



USING the finest alloy steel that can be made for the purpose, New Departure shapes its principal bearing parts by forging—operates the largest and most modern Forge Plant of its kind for the sole purpose of producing parts having the greatest possible strength and endurance.

Forging results in an even finer, stronger metal—one that is tougher and more resistant to wear. It permits definite control of grain flow through design of forging dies. And this working of steel while hot and plastic increases the uniformity of its structure—assures uniform long life for the finished product.

200

## NEW DEPARTURE Ball Bearings

*New Departure • Division General Motors Sales Corporation • Detroit, Connecticut*

**NOTHING ROLLS LIKE A BALL**

AVIATION  
September 1939


7

## EXHAUST GASES

# too hot to handle?

EXHAUST MANIFOLD JOINTS are the weak point in the exhaust system. They are the most common cause of exhaust leaks. They are the most common cause of exhaust leaks. They are the most common cause of exhaust leaks.

NOT FOR THIS MANIFOLD—  
IT'S U-S-S STAINLESS!



HIER'S another example of the way stainless steel, properly applied, helps you solve critical problems in aircraft gas turbines.

Just in 1959, collector rings were built of black iron tubing. These were subjected to high temperatures and corrosive conditions. Then came stainless steel, with added corrosion resistance, and higher-temperature engines, with higher exhaust temperatures. The black iron manifolds deteriorated rapidly, required frequent repairs and replacement.

After extensive experimentation, stainless steel was finally selected for black iron. The results promptly vanished. No more high-temperature deterioration, because the welding temperature of stainless exceeds 1600°F., well above the maximum temperature of previous engines. No more oxidative deterioration from air-fuel leaks. And better fa-



ONE OF THE FIRST of the Double DC-1's and B-57's—Highway reconnaissance, specifically designed for observation purposes. Numerous stainless steel turbine-engine fueling and exhaust systems and all U.S. Navy's first aircraft engine.

reproducible because of the strength and toughness of stabilized stainless steel.

Today, stainless collector rings, because of their proved superiority, are standard equipment on virtually all service ships and commercial aircraft. And every day, this strong, stable, and

corrosion-resistant metal goes into more aircraft—as reinforced and thermal parts, as lighter weight framework and shrouding for wings, fuselages, and tail assemblies. It is helping you effect improvements vital to the world leadership of American aviation. Write today for complete data.



## STAINLESS STEEL

AMERICAN STEEL & WIRE COMPANY, Cleveland, Chicago and New York  
CARNEGIE-ILLINOIS STEEL CORPORATION, Pittsburgh and Chicago  
NATIONAL TUBE COMPANY, Pittsburgh

Columbus, Ind. Chicago, San Francisco, Pacific Coast Distributors  
Excell Steel Steel Products Company, New York, Export Distributors  
United Steel Products Company, Chicago, Pittsburgh Distributors

# UNITED STATES STEEL

AVIATION  
September 1959

5



Westinghouse "Up over" marker cone lights reduce the likelihood of runway error, the lights in automatically focus on the runway ahead, leaving the runway lights in operation.

Many American-built aircraft on both of the lights such as those for general illumination at take-off and landing. Special lenses spread the light over an evenly soft area.



The Westinghouse control deck shows at the finger tips of the dispatcher every necessary control for managing flights, lighting the hold and runway lights and landing conditions.

## WESTINGHOUSE PROTECTS IMPORTANT AIR TERMINALS

More than 700 American airports are lighted with Westinghouse equipment—and many others depend on Westinghouse electrical equipment for everyday operation.

This indicates the importance of Westinghouse electrical equipment in the Aviation Industry. Modern control desks bring to the finger tips of every dispatcher the information and control—

from weather reports to landing lights—necessary to guide the take-off and landing of huge airliners. Westinghouse is able to supply your electrical needs quickly, efficiently and satisfactorily, through its 35 well-stocked service shops and 37 well-stocked warehouses paralleling major air lines. Westinghouse Electric & Manufacturing Company, East Pittsburgh, Penn., Dept. T-10



Below ground operation of the new MacLellan Airport—with Westinghouse electrical equipment considered in this room.



Westinghouse night and day electric, great area of power in emergency light and power supply. Boston Airport, New Orleans.



Albany Airport is one of many U.S. airports with Westinghouse lighting.



Westinghouse motor on the ground in the operation of equipment in service here.



Westinghouse motor on the ground in the operation of equipment in service here.



Look for your copy of "FLYING"—the new and interesting Westinghouse facts on Air. See Display E-1 in our booth and the display.

Westinghouse Electric & Manufacturing Co.,  
Department E-1,  
East Pittsburgh, Pennsylvania  
Circle 10 on Reader Service Card  
Circle 11 on Reader Service Card  
Circle 12 on Reader Service Card  
Circle 13 on Reader Service Card  
Circle 14 on Reader Service Card  
Circle 15 on Reader Service Card  
Circle 16 on Reader Service Card  
Circle 17 on Reader Service Card  
Circle 18 on Reader Service Card  
Circle 19 on Reader Service Card  
Circle 20 on Reader Service Card  
Circle 21 on Reader Service Card  
Circle 22 on Reader Service Card  
Circle 23 on Reader Service Card  
Circle 24 on Reader Service Card  
Circle 25 on Reader Service Card  
Circle 26 on Reader Service Card  
Circle 27 on Reader Service Card  
Circle 28 on Reader Service Card  
Circle 29 on Reader Service Card  
Circle 30 on Reader Service Card  
Circle 31 on Reader Service Card  
Circle 32 on Reader Service Card  
Circle 33 on Reader Service Card  
Circle 34 on Reader Service Card  
Circle 35 on Reader Service Card  
Circle 36 on Reader Service Card  
Circle 37 on Reader Service Card  
Circle 38 on Reader Service Card  
Circle 39 on Reader Service Card  
Circle 40 on Reader Service Card  
Circle 41 on Reader Service Card  
Circle 42 on Reader Service Card  
Circle 43 on Reader Service Card  
Circle 44 on Reader Service Card  
Circle 45 on Reader Service Card  
Circle 46 on Reader Service Card  
Circle 47 on Reader Service Card  
Circle 48 on Reader Service Card  
Circle 49 on Reader Service Card  
Circle 50 on Reader Service Card  
Circle 51 on Reader Service Card  
Circle 52 on Reader Service Card  
Circle 53 on Reader Service Card  
Circle 54 on Reader Service Card  
Circle 55 on Reader Service Card  
Circle 56 on Reader Service Card  
Circle 57 on Reader Service Card  
Circle 58 on Reader Service Card  
Circle 59 on Reader Service Card  
Circle 60 on Reader Service Card  
Circle 61 on Reader Service Card  
Circle 62 on Reader Service Card  
Circle 63 on Reader Service Card  
Circle 64 on Reader Service Card  
Circle 65 on Reader Service Card  
Circle 66 on Reader Service Card  
Circle 67 on Reader Service Card  
Circle 68 on Reader Service Card  
Circle 69 on Reader Service Card  
Circle 70 on Reader Service Card  
Circle 71 on Reader Service Card  
Circle 72 on Reader Service Card  
Circle 73 on Reader Service Card  
Circle 74 on Reader Service Card  
Circle 75 on Reader Service Card  
Circle 76 on Reader Service Card  
Circle 77 on Reader Service Card  
Circle 78 on Reader Service Card  
Circle 79 on Reader Service Card  
Circle 80 on Reader Service Card  
Circle 81 on Reader Service Card  
Circle 82 on Reader Service Card  
Circle 83 on Reader Service Card  
Circle 84 on Reader Service Card  
Circle 85 on Reader Service Card  
Circle 86 on Reader Service Card  
Circle 87 on Reader Service Card  
Circle 88 on Reader Service Card  
Circle 89 on Reader Service Card  
Circle 90 on Reader Service Card  
Circle 91 on Reader Service Card  
Circle 92 on Reader Service Card  
Circle 93 on Reader Service Card  
Circle 94 on Reader Service Card  
Circle 95 on Reader Service Card  
Circle 96 on Reader Service Card  
Circle 97 on Reader Service Card  
Circle 98 on Reader Service Card  
Circle 99 on Reader Service Card  
Circle 100 on Reader Service Card

# Westinghouse

ELECTRICAL PARTNER OF THE AVIATION INDUSTRY





# BOSTON-MAINE AIRWAYS

where Lockheed  
performance  
is essential



2 LANDINGS PER HOUR are made by each Boston-Maine Lockheed  
12 ships per 6-hour flying day in the harshest winter conditions.

## Unusual Airline Requirements Met By Lockheed

Each day Boston Maine Lockheeds fly 1,300 miles — packs 16 passengers — average distance between stops is from 45 to 50 miles — short-flight schedules made profitable by the high performance standard of Lockheed airplanes. Passenger loads last year was up 25% — growth of capacity up 110%.

Lockheeds have met the only serious frontier of Boston Maine operations. Extreme weather made it necessary for each two-engine transport to negotiate small runways — demands outstanding general maneuverability. Lockheeds are designed to these requirements and in addition provide speed required to maintain fast Boston-Maine schedules.

**LOCKHEED AIRCRAFT CORPORATION**  
Burbank, California, U.S.A. Representatives throughout the World

*Lockheed-*

LOOK TO LOCKHEED FOR LEADERSHIP

AVIATION  
September 1955

12



Picked Up Along  
Editorial Airways

**NO BREAK FOR RESEARCH** came when Congress passed the Third Defense Bill which contained an immediate appropriation of \$1.8 billion plus research authorization up to \$1.8 billion. At this point we can do nothing but stand up and cheer. It would surely be reasonable that the country's needs for an expanded research program to support our air arm expansion plans should have been questioned at all. Those of us who have seen for ourselves something of the outstanding laboratories abroad, particularly in Germany, have long since realized how badly we have dropped behind in uncoordinated research. But Colonel Lindbergh, Dr. Lewis, and a handful of others have been carrying on a long up-hill battle against technical problems and political bawling and downright ignorance to obtain research funds. Until practically the last minute it was touch-and-go as to just what the outcome would be. There is a great deal of satisfaction now in knowing that once again we may be in a position to begin that kind of uncoordinated research that was ours for so many years, but which has been lost in some nations of Europe who have put their aviation under extreme pressure for military reasons. We need it today to meet the military threat that is abroad in the world. We will need it tomorrow to support the next development of commercial aviation that is just over the horizon.

**ONE HUNDRED FIFTY MILLION DOLLARS** is important money in anybody's pocket game. It should buy a lot of new ships. In any case it is America's 1956 state in the grand game of world air power development. Here before us history has laid such a course that available in the air, our military and it should certainly provide our industry with the impetus that it has long needed to launch new lines in America into the realm of big



"McGraw is getting out to make a bid for the Thompson Trophy."

business. Possibly it is unfortunate that this money should be handled on warlike pretensions. You had that such men must not be made available for commercial development. But just as 1914-1918 gave aviation its initial push, so the events of 1939-1945 may so speed development to launch a great commercial aviation boom for the 1940s.

In Germany in 1926 we noticed signs in various aircraft factories to the effect that: "For your job you may thank the Fieseler." An amazing report was the appearance of similar signs in several of the large British aircraft factories the following year. It is not impossible that the men who did it, "VENTURA" editorial staff has years hence will look over the great

AVIATION  
September 1955  
13

THE INTERCONTINENT CORPORATION  
AERO EXPORTS  
NEW YORK

MARKED FOR SATISFACTION

LEADING EXPORTERS OF AMERICAN  
AERONAUTICAL PRODUCTS  
30 ROCKEFELLER PLAZA  
NEW YORK, N. Y.  
Circle Address AEROFLOP, NEW YORK

accomplishments of 1955 (with personnel departures every hour on the hour, with thousands of airplanes transporting people and goods as peaceful missions from one end of the country to the other, with hundreds of thousands of privately owned planes in use for business and pleasure) and he, too, may be able to say, "After all that we say about the Fulbright." But the airplane, although one of the most powerful weapons for war ever forged, has its greatest potential as an instrument of peace. Today we spend our millions for wings of commerce—hundreds of millions for wings of war. Our greatest hope for the future is to put this ratio reversed. It all depends whether general aviation can be restored in the world before we succeed in destroying ourselves.

**IS WAS ON PEACE**, whenever his asked for action, it is certain that we are in for a period of rapid expansion of plant and personnel in the next two or three years. T. P. Wright, in his article in June Aviation, "America's Answer," placed the needs of labor requirements for the period ahead. And as various as death and taxes, anyone who has anything to do with the hiring, firing, or training of labor is concerned with this program will run up against one of the toughest (and not always well understood) laws of the land, known as the Wagner Act. Now or later he will have to deal this with an administrative body, The National Labor Relations Board. The meaning of the Act and the interpretations of the N.L.R.B. have caused frequent headaches in management and labor alike. Everyone who has anything to do with this problem, especially in the critical period of high present aircraft production which we are facing, would do well to add to his library and study carefully a little book recently published, entitled "The Worker, the Foreman, and the Wagner Act." It is by Russell Greenbaum (a consultant in labor relations) and is published by Horner Brothers in New York. It gives in non-legal, everyday English, the essence of the Wagner Act and cites many cases of N.L.R.B. interpretations from actual cases which have been adjudicated. It's the best thing we have seen on the subject so far.

**IS WE LOSE, CAA GAINS** the services of our former Associate Editor, Dan Sayre. Since September 1st Mr. Sayre moves into Washington to become Director of the Bureau of Statistics and Information, the job left

vacant by the appointment of C. B. Allen to the Safety Board earlier this year. We make this announcement with mingled feelings, for although we can derive satisfaction in having one of the members of the staff of Aviation absorb for this important C.A.A. post, we regret especially that his services will be lost to this magazine. Mr. Sayre has made outstanding contributions to Aviation, not only through his handling of the news section, which he has revamped and restyled completely during the last eight or ten months, but as a feature writer and as a general associate in the carrying on of the work of the group. We know that all our readers will join us in wishing him the best of luck in his new assignment.

**IS KANE ON REINS**, as Labor Day worked down, the thundering birds will be at it again, striking across Chevrolet's skirts, draping at pylons, making media in give Chevrolet and guests a show for their money—hoping, too, of winning a part of the

prize money to experiment back with adjusted by the writer's recognition of last year's case doesn't. But that saying of looking experience will come if it we must voice our usual doubt. We have been told that thought of the "bureaucracy of the industry" argument for it, these many years. The uncontrolled-labor-union brand of research conducted by the independent not show better results only with that type of research that we mentioned earlier in these columns, and has often turned up anything new or of practical value in the corner of an industry designer. Much as we admire the ingenuity and personal value of the plot-disrupters who turn up to one year after year, we cannot help but feel that their talents might be expended more profitably in beneficial industry research programs where they could be given opportunity to prove their theories without a great and unnecessary risk to their necks. In the period of expansion and development that we anxiously dread we will have to conserve and utilize to its fullest extent every ounce of available human power, and it would be too bad to see any of it wasted unnecessarily. We are hopeful that the 1959 season can be run off without accident, and that the growth can be given a suitable program that will meet, and not hinder aviation.

**IS WE LOSE, CAA GAINS** the services of our former Associate Editor, Dan Sayre. Since September 1st Mr. Sayre moves into Washington to become Director of the Bureau of Statistics and Information, the job left



KANE STEINBERG who takes on the editorship of THE AVIATION NEWS with headquarters in Washington.

vacant by the appointment of C. B. Allen to the Safety Board earlier this year. We make this announcement with mingled feelings, for although we can derive satisfaction in having one of the members of the staff of Aviation absorb for this important C.A.A. post, we regret especially that his services will be lost to this magazine. Mr. Sayre has made outstanding contributions to Aviation, not only through his handling of the news section, which he has revamped and restyled completely during the last eight or ten months, but as a feature writer and as a general associate in the carrying on of the work of the group. We know that all our readers will join us in wishing him the best of luck in his new assignment.


**IS ALSO TO WASHINGTON** gives the job of editing the Aviation News. With this Sayre's departure, the focus of our news gathering and news comment will be shifted to our Washington office and will be in charge of Edward Steinberg. Mr. Steinberg has long been connected with aviation and has been a very valuable contributor to the Aviation News during the past few years as a member of the Washington staff. Where, however, Aviation affairs have been occupying only a relatively small part of his time, from here on the greater part of his time will be absorbed for our use. He has an extensive knowledge of Washington affairs and the Aviation News can do nothing but benefit by his work and from the fact that his headquarters will stay in Washington.



DANIEL SAYRE, who leaves AVIA this month to take over the C.A.A. in Washington.



## Off-decks!



Official navy photograph of Grumman F4F-3 fighters. See Fighters in the front.

Below: Shore simplicity and shore-side simplicity of Bendix Landing Gear Equipment in landing practice.

## The Navy's flying fighters need "sea-legs" too!

Supplying sturdy "sea-legs" to the navy's fleet of Grumman F4F-3 single-seat fighters, Bendix wheels, brakes and pneumatic shock struts admirably meet the need for absorbing the impact shocks of landing on deck, or taxiing and take-off on terrain that is often none too smooth. Brakes that are capable, reliable and easily responsive, facilitate ground maneuverability—steering as well as stopping. Off-decks, both stress and wheels retract smoothly into side wells in the fuselage.

## Bendix LANDING-GEAR EQUIPMENT

BENDIX PRODUCTS DIVISION  
of Bendix Aviation Corporation, South Bend, Indiana

AIRPLANE WHEELS, BRAKES, PNEUMATIC  
SHOCK STRUTS, TAIL KNUCKLE ASSEMBLIES

AVIATION  
September 1941

## Side Slips

By  
ROBERT OSBORN



THE TIME DURING WHICH I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

from Wilkes-Barre, Pa. We were born in Wright Field, carefully considering the details of what appeared to be the intended Air Corps' original design. While he was deeply engrossed in the wing design, a civilian guard came along and told him he would have to report to the nearest Captain. The Captain quickly but firmly reminded him that the day he was enrolling in study was on the record—this.

Sooner than we're absolutely amazed at the vision and ability to foresee the future that came with him. You in charge at the celebration of the Army Air Corps 30th anniversary at Dayton, General Arnold revealed that one man put in a total of \$500,000 for the first military airplane, thirty years ago.

In Grumman, General's construction of the purchase of the first military airplane, we noticed another amazing side-light. Thirty years ago the Army was depending primarily upon the Navy for the design of the airplane. The designers started following the performance of the Army Douglas could be met.

The time during which I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

The time during which I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

The time during which I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

The time during which I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

The time during which I am actually getting trained these days. Part of my day comes in by air mail from Detroit, part comes in on horseback.

to the people in the industry. The kind of a statement that pilot Joe Doolittle, would be able to make at the field while a test program was actually under way would be something like the following:—

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

Joe Doolittle: "I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot. I have always wished to know whether or not I was a good pilot."

AVIATION  
September 1941



**BENDIX-1938**



**GREVE-1938**



**THOMPSON-1938**

AVIATION for September, 1939 \* \* \* \* \*

## AVIATION'S BIG SHOW—

—or What of It?

Our West Coast Editor told 1000-odd, or dyed-in-the-wool enthusiasts at many years' standing, unusual some post-up ideas on the past, present and future of

### THE NATIONAL AIR RACES

1939?

By  
**Charles F.  
McReynolds**

**A**S WE WRITE this pre-race summary of 1939 National Air Race prospects the holiday is well under way for aviation's annual side-show. By the time you read this the circus atmosphere will have provided Cleveland and the spectators will be drifting airportward for an utterly stupor of flying freaks. At this writing everything points to the most amazing air race meet since the skies opened in Cleveland ten years ago, but the sad part of the picture is that this moment will have little relation to the industry proper. Each year the air race side show seems to draw further away from the main text of the industry.

In spite of the technical and competitive interest in this year's racing events, it is not impossible that another twelve months along the path leading to some following may leave the show stranded permanently. It is reported that total 1938 prize money will fall about \$75,000 short of the 1938 pace. And this in the face of conditions which find the race plane builders, carrying disasterous losses. This year there will be only one new design at Cleveland as far as we know now, and it may not arrive. No new races are under way for the 1940 season. A number of men who have been giving all or most of their time to race plane development have already turned their attention to other phases of aviation work. Increasing concentration of the industry on military work, and on the development of small private planes, or large transport planes, is tending to divorce the industry completely from the highly specialized field of race plane design and construction.

The condition is a striking contrast to the fact that technical experimentation was never at a higher level, or in a more extensive field. A host of engine design experiments are being tested. New spark plugs, piston rings, fuels, etc., are being tried on a large scale. Engines like Schenck's and Chester's Monocoups have only an assumed resemblance to the factory design lines which these racing engines have been developed. Changes include novel fuel induction systems, entirely new cylinders, cylinder head design, spark plug location, new pistons and

rials, new counterbalanced crank shaft, special valves, camshafts, etc. One of the new race planes, rebuilt from last year, is of plastic plywood construction. Various combinations of wing plan form, airfoil section, angle of incidence, etc., are putting in an appearance.

But in spite of all interest in the current progress we cannot look ahead with any enthusiasm to future air race events. After all a race show is something that demands that the main performance, unless run under the same management on a standardized basis. The magazine has repeatedly pointed out the urgent need of down-to-earth control of air racing if it is to continue. But we find the industry at the last, almost, end of the narrow hallway to air racing. Industry people are often heard to remark that air racing doesn't "contribute" anything to the situation of aviation.

Probably the reason lies in the lack of a program under which such contributions might be made. No one really familiar with the detailed work done by many race plane builders would deny that they might be able to contribute to the improvement of military and commercial designs if given the proper incentive and opportunity. In the rapidly changing world of aviation, with air power of paramount importance to national defense, every kind of high speed experimentation and research is of vital importance to the country as a whole. Private research along air racing lines could be a vital part of our future high speed development program. But under the present lack of industry interest it is just a side-show to amuse the people of Cleveland and vicinity. Obviously, the average spectator who attends the Cleveland races regards the engine specialists and their pilots with all the awe he would Healey's Comet, should it suddenly swoop down and start doing piston turns around the two mile course. Doubtless many of the spectators regard the "blue-devil" pilots either as supermen with nerves of steel, the eyes of an eagle, and the muscles of Hercules, or else they consider them out-and-out lunatics, nut-cases, or willing crazies. Perhaps not one in a hundred recalls their own work being either morally or physically drained to the advancement of the art and science of aviation, and to the maintenance of American flying ahead of competing foreign countries.

Obviously, these fellows are not governed by a "sportsmanlike" complex. They have all gone broke year after year and still continue in the game. And it is equally obvious that they are not generally motivated by a greed for fame, since few of the pilots and none of the designers get newspaper space (with slight exceptions) outside of the city of Cleveland.

But in spite of lack of recognition, and lack of money the race people have doggedly earned on the heels. And it is a sad true fact, with all the aircraft design and engineering work now in progress, that our nation grinds the public with its only opportunity to step out and see big scale persons being conducted at an accelerated pace in full view of the whole world. If a new type landing gear doesn't work the world is alerted. If an engine construction technique just when things seemed to be looking up, the engine suddenly does something dramatic for the benefit of the assembled multitude. Certainly this public testing of engines, propellers, landing gear, and airframe construction, could be better dramatized for both the public and industry. The race management has gone the limit in whipping up the drama, but still and unless the industry takes hold the whole show will continue on much the same basis as a carnival merry-go-round, with a fair at night and no one, but always arriving back at the starting point after not having been anywhere in the meantime.

## You'll Meet Them at the **RACES**

Old 1935-X slices up the planes, the pilots, and their chances in aviation's big Labor Day show. Turn the page for the 1939 form sheet.

By  
**Charles F. McElreynolds**



Lee Williams left, and Bob Best right, representing the veteran Miss Los Angeles.



Art Chester takes quiet time to lubricate the massive rods on his Hebeon engine.



Art Chester and his mechanic, Lynn Culbert, soon placed with the Queen's prospects.



Lee Williams, left, will fly Miss Los Angeles; Bob Best pilots the Ford Sportster.



Bill Schenckel, designer of the Ford Sportster, is to drive by Deep Seafish.



Barry Conkey, designer, builder, and pilot of the Grady Brown.



Ray Floyd, designer and owner of the Ford Sportster.

1939  
**NATIONAL  
AIR RACES**  
SAT-SUN-MON  
SEPT. 2-3-4  
CLEVELAND

AS for the 1939 Cleveland race that a wonder man will be in line to send a very special plane, as Edgar Bergen is considering letting Charlie McCarthy may out his right to act as honorary starter. In any case the Hebeon team are long reported to soon on the day of the start, as, since the first ship off will have sometime between starting and daybreak, the planes are actually being unspooled the day before the start. They will be placed on display along the airport fence where spectators may come quite close to them during the day for inspection.

It is not thereby alone that promises to attract Jacky Cochran to the fountains of a field of experienced men pilots, including Vance Brown as the Hughes Barrer, and Frank Palmer as his veteran Secretary. The Miss Cochran has obtained one of the new

the time of writing it appears possible that a wonder man will be in line to send a very special plane, as Edgar Bergen is considering letting Charlie McCarthy may out his right to act as honorary starter. In any case the Hebeon team are long reported to soon on the day of the start, as, since the first ship off will have sometime between starting and daybreak, the planes are actually being unspooled the day before the start. They will be placed on display along the airport fence where spectators may come quite close to them during the day for inspection.

It is not thereby alone that promises to attract Jacky Cochran to the fountains of a field of experienced men pilots, including Vance Brown as the Hughes Barrer, and Frank Palmer as his veteran Secretary. The Miss Cochran has obtained one of the new



would perform within a five mile per hour speed range of one another, somewhere between 275 and 280 mph. In the whole group may come tearing up to the line in a blacked track. And no one individual in fact conservative about predicting a Grove speed of 373 mph. Although this is 25 mph faster than any previous Grove speed, we won't be surprised if the Grove time this year beats Thorne's Thompson Trophy record of 1938. Also notable for this race are Marvin McKern's *Star Line* (see below) by Lee Williams, and Byrne Armstrong's *Delgado Flash*. There is a rumor that *Beany Howard's Mule* may be entered by its present owner. In any case these three plans are definitely in the show category and will hardly lose in terms of better than 220-240 mph.

This year the most interesting design work has been done, we think, among the Grove Trophy class ships. Why Schoenfeldt has built a new wing for his *Firecracker* as the digital wing was badly damaged in a crash landing at the close of last year's Grove Trophy race. Schoenfeldt is a co-suit research center and has packed from the best available American and foreign design information in laying out his new wing, and undoubtedly his propeller, engine, landing, etc. The new wing is not radically different

even though using a more recent airfoil than the previous one. A most interesting one point has been worked out to obtain maximum aerodynamic efficiency together with adequate engine cooling. The new is symmetrical in plan form and extended to give a natural scoop effect to the engine cooling air intake. The propeller to be used this year is a development from superlatitudes with more than a dozen different model proposals. The engine itself has been so completely modified from the original that it is now nearly a Schoenfeldt than a Messner engine. Schoenfeldt, Claver, and other Southern California engine experimenters, have had numerous collaborations from Winfield Hoffbauer, and one or two other producers of speed into racing engines and equipment. The Schoenfeldt engine is equipped with side cooled valves, special camshafts, special rods and pistons, and a radical induction system which makes use of a digital manifold to balance it to accomplish nearly perfect distribution of the intake gases. The Schoenfeldt engine runs cool and smooth. Even with the four wheel propeller which is expected the high speed performance the plane gets off the ground in fact or under than any of its competitors. His well prepared the *Firecracker* is

may be helped by the fact that it was tested on the track early in June for Cleveland after a test hop of only twenty minutes early in July.

Schoenfeldt's next to test the *Grove* because it is already packed on its trailer, we favor Art Chester in the Thompson because he is still test flying his own especially here in the middle of August. Last year Chester literally drove the *Grove* in prison, sea-looped it just before the race at Cleveland, and was able to give Tony LeVier a clear race for the Grove boards. Since then Art has completely overhauled plane, engine, and all accessories. He has put several hours of test flying on the plane, made a host of changes in his engine, and is said hard at work. We know something of Art's almost amazing ability to do all-around way as designer, builder and pilot. He is almost as often to himself as the single-headed single-minded way in which he designs his race planes. We strongly suspect that he will turn up at Cleveland with a stack of dynamite in each hand and a vengeance full of vengeance for some of the competing pilots. A little later we will see two or three more to explain why we pick Tony LeVier to win the *Grove* over Art.

and then dig Art to stop the big Thompson pilot.

Meanwhile lets take a look at the look in Art's lab, the *Grove*. Art's a loner from pop to start. The propeller is a two-blade French Blum, and as the blades are adjustable on the ground Art has been able to do some experimenting on determining most efficient pitch angle for top speed. The tail stud is fully adjustable hydraulically, so are the main landing wheels. Art has developed a special wish latch to hold one of the two shock's up in the wheel well. This was necessary as the hydraulic retracting mechanism works directly on one strut and crimped the shock through a connecting torque tube. On poles here this torque tube has just enough spring to let itself fold back down the right wheel down and spring open the body door, knocking about 35 mph off the *Grove's* speed. Other innovations on the *Grove* include a skin type oil radiator under the belly, a super-sound exhaust stack system which should add some propulsive effect at speeds in the neighborhood of 300 mph.

But it is with his engine that Chester has really entered into the spirit of pure research, conducting single-headed a program that would be credit to a major engineering. The

original Messner CUSA engine is now but a shell of its former self and the test of Art's engine engineering ability will come in the *Grove* and Thompson. Ripping out the innards of his stock engine, Art has installed a considerably different, new piston and rings, has carefully balanced the connecting rods, hand hand all the parts, designed and installed an entirely different set of cylinder heads to provide for cross-flow cooling over the heads as well as cylinders, repositioned the spark plugs, changed the design of the cylinder intake and exhaust ports, installed a radically different pressure-equalizing intake manifold of his own design to achieve maximum fuel distribution at high speeds, installed special intake control valves, etc.

WE SHOULD UNDERSTAND A word of comment on the standard Messner engine. These changes are not any reflection on the engine as it comes from the factory for commercial use. They are merely one man's way of ordering to run the standard engine at power output and rpm far beyond normal. It may be considered that the Messner CUSA work which Rudy Kling won the 1957 Thompson Trophy was a stock engine at almost every way.

Art has solved the endurance

problem question by installing ten springs instead of six, and finding them into a special rapid spin distributor. Result is a saving on oil, and most improvement in cooling. We could go on and on, but the reader will appreciate by this time that if Art comes through in the Thompson he will have paid himself up by his 1955-1956.

We haven't been able to get any details on the 1958 Polkoffs, except that it has a new wing and is probably still fast. Clayton Polkoff is one of these speed wizards who seems to be able to pack substantial miles per hour out of a bit. He would be a great asset to any top up big aircraft firm, but prefers to pursue the endeavor of his way "down on the farm" building out good plans at a time Where Clayton's career will wind up we can't guess. He is a wily fellow that we do know that his plans will command respect in any company.


We may have dipped a cup or two, ignoring the Polkoffs to win both *Grove* and Thompson this year as it did in 1957. Ted Bugh is inexperienced, but so was Rudy Kling. Another designer of the Polkoffs type is Keith Koler, who is really the grand old man among current race plane builders, having been consid-

(Turn to page 41)



1. Job from the Ford Special. 2. Detail of the engine below. 3. Close-up of landing gear. 4. Ford Special of white, mainly, still set on its. 5. Every CUSA's CUSA, never in old name. 6. CUSA's engine is a modified engine from and used with a thick air. That line are subject to be tested with a thick air. 7. CUSA's engine is a modified engine from and used with a thick air. 8. CUSA's engine is a modified engine from and used with a thick air. 9. CUSA's engine is a modified engine from and used with a thick air. 10. CUSA's engine is a modified engine from and used with a thick air.

11. The *Grove* and Thompson, Chester's beautiful race, the *Grove*. 12. Landing gear into the *Grove* engine, showing landing gear of airplane oil system, retaining gear system. 13. CUSA's engine is a modified engine from and used with a thick air. 14. CUSA's engine is a modified engine from and used with a thick air. 15. CUSA's engine is a modified engine from and used with a thick air. 16. CUSA's engine is a modified engine from and used with a thick air. 17. CUSA's engine is a modified engine from and used with a thick air. 18. CUSA's engine is a modified engine from and used with a thick air. 19. CUSA's engine is a modified engine from and used with a thick air. 20. CUSA's engine is a modified engine from and used with a thick air.



A black and white photograph of a grand, curved, multi-story building facade, likely a historical residence or institutional building. The facade features numerous windows, some with decorative ironwork, and a prominent arched entrance on the ground floor. The building is situated on a street corner.

A black and white photograph of a dining room. In the center is a round dining table surrounded by chairs. To the left, there is a sofa. In the background, a fireplace is visible with a decorative archway above it. The room is lit by pendant lights hanging from the ceiling.

A black and white photograph showing the interior of a room. In the foreground, there is a wooden balcony with a decorative railing. Behind the balcony, there are two arched doorways. Each doorway has a white sailboat-shaped curtain hanging in it. To the left of the first doorway, there is a dark, upholstered chair. The room appears to be part of a historic or themed building.

A black and white photograph of a large, formal dining room. A long, dark wooden table is surrounded by numerous upholstered chairs. At the far end of the room, a large window is covered with heavy, dark curtains. The room has a high ceiling with decorative molding.

# Electrical Insulation for AIRCRAFT

By  
**Graham Lee Moses**

*Insulation Engineer  
Westinghouse Electric Mfg. Co.  
East Pittsburgh, Pa.*




Fig. 1




Fig. 2

Temperature variations usually made in the development of aircraft have necessitated important changes in electrical equipment for aviation service. The electrical system on larger aircraft has undergone its prototype, the automotive or low type of low voltage D.C. system. With the greater demand for electrical energy an aircraft has necessarily come an increase in D-C voltage or a change in A.C. system which also affords higher voltages. The use of these higher voltages completely changes the picture of the insulation problem on aircraft electrical equipment. Here moisture changes in altitude, pressure, temperature and humidity have an important effect on insulation, it seems timely to consider these and determine their general effect upon insulation design. From such a study it is possible to set up simple standards of insulation tests and determine average distances for various voltage classes.

Changes in altitude result in very great differences in atmospheric pressure and ambient temperature. The effect of altitude on ambient temperature and atmospheric pressure is shown in curve Fig. No. 1. Atmospheric pressure has an important effect upon the dielectric breakdown characteristics of air, and upon certain "leakover" voltage. Curve Fig. No. 2 indicates the effect of atmospheric pressure as determined by altitude on the breakdown voltage of air. The effect of reduced atmospheric pressure in "leakover" voltage for a typical material as shown in curve Fig. No. 3 for various electrode spacings. These latter values are only comparative as the type of insu-




Fig. 3




Fig. 4




Fig. 5

lation and several other variables have an important effect on this factor. From these curves it is clear that atmospheric pressure, and therefore altitude, play an important part in determining the ability of many parts of electrical apparatus to withstand electrical stress.

Quick changes in altitude resulting in sudden variations in pressure and temperature often cause the precipitation of moisture on insulating surfaces. This still further complicates the problem of insulating aircraft electrical apparatus as the "discharge" voltage is still further reduced by this phenomenon.

The great variation in ambient temperature with altitude results in similar changes in operating temperature of the electrical equipment. Due to the difference between constant exposure of insulation material, also, and under these temperature differences, lapse were mechanical stresses upon the insulation.

From a study of the effect of these variables on insulation, it can readily be seen that the problem of insulating electrical equipment for aircraft service is widely different from insulating conventional equipment. The dry exposed in aviation service is not merely compatible to that encountered in railway service, even, even this dry is not as severe as in aircraft service. One particularly important difference is that railway apparatus is not subjected to reduced air pressure that occur in aviation service.

In selecting a tentative standard for insulation electrical breakdown tests, the expected voltage class has been divided into two classes. Factory test voltages have been selected which

are based somewhat on railway practice as established by A.I.E.E. Standards No. 16 with increased values in some cases which are based on judgment and laboratory tests.

Asset	Project
Class Voltage (A.C. or D.C.)	Test Voltage*
0 to 30	1000
31 to 100	1800
101 to 300	2700
301 to 500	3000

\* Test voltage on 50 cycle 60 Hz voltage.

These test voltages constitute a test of the ability of the solid insulation to resist puncture. They are not intended as a factory test of creepage surfaces. When apparatus is new, when it has the ability of the creepage surface in most factories is very high. It has been found that the ratio of full-wave voltage under factory test conditions to that under service conditions is very great. For example on one standard material the full-wave voltage at atmospheric pressure was reduced 75% by the presence of moisture on the surface and the reduction in air pressure to 1 atmosphere. Therefore, a voltage which would be a satisfactory test of a creepage surface when clean and dry would be an excessive strain on the solid dielectric. It is, therefore, necessary to establish creepage distances which will be satisfactory under the most adverse condition.

A considerable amount of laboratory work has been done in determining the effects of pressure, moisture, and type of surface on full-wave voltage. This data is too voluminous to be reported here but the characteristic of a typical dry

material is shown in curve Fig. No. 3. From the data obtained in these tests the following creepage distances were established as minimum values. Wherever it is possible to increase these values without unduly handicapping the apparatus it should be done.

Asset Class Voltage	Project Class Voltage	Recommended Minimum Creepage Distance
0 to 30	1000	1/8"
31 to 100	1800	3/16"
101 to 300	2700	1/4"
301 to 500	3000	2/8"

However it is necessary to establish maximum striking distances through which when on creepage path must be it is greater than recommended above. These values should also be considered as absolute minimum and be increased wherever possible.

Asset Class Voltage	Project Class Voltage	Recommended Maximum Striking Distance
0 to 30	1000	1/8"
31 to 100	1800	1/8"
101 to 300	2700	1/8"
301 to 500	3000	1/8"

A great deal of development work has been done and much progress has been made in producing electrical apparatus suited to the needs of the aviation industry. However, it would be recognized that it is only a beginning. Insulation is a phase of the electrical art which is too often taken for granted. The foregoing data and recommendations are offered in the hope of giving a better general picture of the insulation problem.

# AVIATION'S Maintenance Note Book



1. Braccia wheel and hydraulic overhead shop at Dallas. The hydraulic test bench in the background and the brake spinning and test equipment in the right were designed and built by Braccia.

2. Detail view of the setup for installation of main rotor frame on turbine engine. The accuracy of the alignment must be held to .005 in. by technique. Special fixture mounted on table base plate developed by U.S.

3. General Air Lines propeller handling dolly at Miami airport.

4. Two Americans use their portable crane for big propellers for the Chrysler of Miami.

5. Hydraulic jack for Douglas airplane built by P.A.S. at Brownsville.

6. TWA test stand for direct-drive engine starters. Hydraulic press now developed in cylinder and all engine area is indicated as a press indicated in rock in ground.


7. Device developed by Pennsylvania General in shipping air four fourth carburetors.

8. Hydraulic type starter test stand built by P.A.S. at Rio de Janeiro.


9. P.A.S.'s system for testing drive motor line on bench.

10. A pair of L beams installed in engine motor and connected stand for engine motor attachment, U.S. Navy.

11. Servicing platform and auxiliary equipment for Blaney type aircraft, P.A.S. Miami.







ON PREVIOUS occasions during the past century years, the results of theoretical studies and experimental investigations have been published in the Technical Press of Europe and the United States, dealing with the flight phenomena commonly referred to as "stalling," "cushioning," and "grounding." Such performance variations are conceptually described under the single term of "ground effect" for they are only experienced during the take-off and landing of airplanes when relatively close to the ground surface. Pilots are familiar with "ground effect" and sometimes find it rather troublesome in the case of certain airplanes and under some conditions of operation.

The entire subject is still kept in spite of the attention given to it by a number of investigators, and there is sufficient discrepancy between calculated and test-flight results to justify suspicion of the experimental methods used in many cases. Among the more appropriate and improving of test data are those obtained by E. H. G. Reid and Kenneth F. Riley, and published by the National Advisory Committee for Aeronautics. The tests of Riley were among the most comprehensive up to that time, being made upon seven airplanes of differing design and construction. Conclusions based upon the test data appeared to check the commonly accepted aerodynamic theory of "ground effect" as already stated, further and more thorough consideration of the subject seemed necessary. This work was not the same later continued program as described and applied aerodynamics, together with parallel de-

velopments in power units, led to marked changes in design, changes which greatly improved both the use of airplanes and the wing loadings.

Flight speeds continued to increase to higher limits, and the take-off and landing problems assumed more serious proportions.

#### What Is "Ground Effect"?

When flying at altitudes close to the ground, within a depth near which varies from a value equal to the full wing span down to the point of actual contact of the leading wing with the ground surface, the pilot may observe that there is more than normal drag

in addition to power units, led to marked changes in design, changes which greatly improved both the use of airplanes and the wing loadings. Flight speeds continued to increase to higher limits, and the take-off and landing problems assumed more serious proportions.

of water and soil load. "Ground effect" has a great deal to do with the take-off performance of heavily loaded airplanes. In such cases the ground effect cushions the airplane to get off from the landing field surface with engines well out, the climb speed at first being considerably high and then starting to decrease before the airplane has passed out of the ground interference zone. If the engines are full out, it may be impossible to attain a flight altitude of more than thirty or forty feet, to be followed by a forced landing. The use of controllable pitch propellers and supercharged engines have done much to minimize this difficulty.

#### Physical Characteristics of "Ground Effect"

The physical character of "ground effect" at still air conditions may be roughly pictured as shown in Fig. 1. The diagram indicates how the ground surface appears out to follow the streamlines of the body of an air surrounding the wing. The broken lines represent the effect of the moving wing on the air when low to the ground surface. The streamlines are deflected upward toward the leading edge of the wing, and downward from the trailing edge. In a word, then, when the wing is so near and the air in motion above it, the leading or forward of the air stream is quite compressive, and is found to exert a very considerable suction into the air region about the wing. The resultant air force on the wing is represented by the vector  $R$ , the tail of the vector being perpendicular to the angle of attack  $\alpha$ . When the wing is now moved adjacent to a solid boundary, the stream lines have their curvature markedly reduced, and assume a shape somewhat as indicated by the solid line curves. The resultant air force  $R'$  on the wing is now turned toward the vertical and its point of application, to the center of pres-

sure, moves toward the leading edge of the air stream, the relative amounts of curvature distortion are not constant along the span of a wing, since the nature of the air flow varies over the latter justifying the term "wingtip" attack when the air loading builds up toward the wing tips.

Over this strengthening out of the flow lines means a decrease in the "downwash" angle, bringing about thereby a reduction in the induced drag, but probably having no effect on the profile drag unless streamlines along the wing to come eventually close to the ground surface. This lowering of the induced drag is precisely the effect of an increased aspect ratio; that is, the wing performs as though it possessed a new, apparent, or fictitious aspect ratio greater in magnitude than its actual or geometric aspect ratio. From airfoil theory we learn that the greater the aspect ratio of a given wing, the smaller the angle of attack corresponding to a given value of the lift coefficient  $C_L$ , and therefore the higher the flight speed for a given airplane loading. This means that ground effect acts to decrease the effective angle of attack of a wing below that indicated by its position with respect to the relative wind. Referring to Fig. 2 the lower solid line represents the  $C_L$  curve for flight conditions outside of the ground effect region, while the upper solid line shows the characteristic action of the ground surface, the slope of the curve becoming steeper accompanied with possibly some increase in the maximum value of the lift coefficient. The first curve is a lower value of  $\alpha$ , and in some cases may account the "pilot's" feelings which occur when the pilot still believes he is flying at a low angle of attack and speed.

#### Magnitude of the "Ground Effect"

The most commonly accepted and best known of the theories of ground

effect is that proposed by Prandtl and Wieselsberg many years ago, which furnishes the simple convenient formula:

$$\Delta C_L = \frac{H}{h} \times C_{L0}, \quad C_{L0} = \frac{C_L}{H} \quad (6)$$

where  $\Delta C_L$  is the number of digits by which the projected angle of attack of a wing should be decreased for a given height above the ground surface, while  $C_{L0}$  is the corresponding amount by which the induced drag coefficient should be reduced. The coefficient  $H$  is the Prandtl circulation factor, and its value depends on the wing span  $b$  and the mean height  $h$  of the wing (down wing, or a height) above the surface.  $H$  is the positive aspect ratio.

It is easily shown that if  $H$  is in the apparent or effective ratio when an airplane is flying within the zone of "ground effect" then

$$H' = \frac{H}{1 - \epsilon} \quad (7)$$

The formulas were derived on the basis of still air conditions, and should not be applied for angles of attack (True to page 17)



Fig. 5. Effect of changes in the height ratio  $H/h$  on the lift coefficient for different values of the geometric angle of attack.

Fig. 1. Diagram of physical character of ground effect at still air conditions.




Fig. 2. Interference effect of the ground surface and other factors on the lift coefficient.





Fig. 3. How the interference factor varies with the height ratio.



Fig. 4. Effect of different geometric aspect ratios on the change of the induced drag coefficient with height-down ratio.



# HARLOW PC-5



**Military Trainer is Adaption  
of Commercial Design**

**B**ANKING into the fold of all metal training ships the Harlow Aircraft Company has recently completed their new low wing PC-5. Ease and convenience of maintenance has been incorporated in the design as can be seen in the lower picture and diagram on the opposite page. The wide windows and transparent roof provide instructional visibility in all directions. Included in the equipment are the electrically operated flaps, that can be dropped up to any position up to 45 degrees, variable pitch propeller and retractable landing gear, all of which can be introduced to the student step by step.

The wings and fuselage are all made the latter being semi-monocoque in design. A series of extensive rings and longitudinal extrusions form the frame work with 38 ST Alclad sheet covered on. The tail surfaces and wings are also of Alclad with a skin on both the exterior and interior. The power plant is a Warner Super Saurer which develops 145 h.p. and blends in smoothly with the fuselage.



AVIATION  
September, 1935

## SPECIFICATIONS

Wing span	25 ft. 7 1/2 inches	Wing area	309 sq. ft.
Length overall	22 ft. 4 inches	Wing area	17 1/2 sq. ft.
Wing chord	7 ft. 8 inches	Wing area	21 1/2 sq. ft.
Wing area	309 sq. ft.	Wing area	21 1/2 sq. ft.
Wing loading	12.8 lb. / sq. ft.	Maximum speed	170 m.p.h.
Power loading	15.7 lb. / hp	Cruising speed	140 m.p.h.
Empty weight	1640 lb.	Landing speed	45 m.p.h.
Useful load	620 lb.	Rate of climb	550 ft./min.
Gross weight	2260 lb.	Service ceiling	15,000 ft.
Adverse area	12 sq. ft.	Cruising range	500 miles



AVIATION  
September, 1935





## BELLANCA Model 14-9

Answer to the call of the CAA for lighter private planes is the Bellanca Model 14-9. Among its safety features are two stability fins mounted at the tip of the stabilizer, which are intended to counteract the tendency of the ship to spin. This together with the use of the Bellanca "K" aileron section, noted for its very favorable stall characteristics, gives stability to the plane and enables it to be landed at a high angle. Powered with a Lycoming 90 hp engine the model 14-9 lands at 47 mph., cruises at 139 mph. and can climb to a service ceiling of 14,000 ft.




With a cabin as an integral part of the wing, does eliminating the necessity of a separate metal living skin.

The design of the fuselage follows the standard Bellanca form being the shape of an aileron section. Inside, the upholstery is in the best automobile condition, with one passenger behind the pilot and co-pilot's seat with all doors facing forward. The right hand dual control arrangement is readily accessible.


A notable feature of the plane is its retractable landing gear. This is

probably the first time a plane in this price class has added this to standard equipment. The retractable landing gear is hand operated from a wheel on the cockpit, and has both cable and visual warning devices to prevent landing with the wheels up. This is built, when folded back, 16 in. into the wing which are just in front of a twenty gallon gas tank in the left wing root and a three gallon fuel tank compartment in the right wing root.

(Cont. on page 42)



# WRIGHT Double Row CYCLONE 14



Now Available  
AT  
**1600 H.P.**



The Wright Double-Row Cyclone 14 engine rated at 1600 H.P. is now available for sale throughout the world.

The 1600 H.P. Double-Row Cyclone 14 is the outgrowth of experience gained from the production and operation of over 3,000 single and double-row Cyclones, a background that has made it the world's most powerful aircraft engine now in service operation.

Double-Row Cyclone 14 engines power all of Pan American Airways' 74-passenger Boeing Clippers now in regular service on their trans-Atlantic routes to England and Southern France and their trans-Pacific routes to Honolulu, the Philippines and China. Available outstanding example of commercial aircraft powered by Wright Double-Row Cyclone 14 engines is the new 14-passenger

twinned-engine Curtiss-Wright Transport.

Further use of the engine is indicated in the large production order for the Double-Row Cyclone 14 which have recently been placed by the United States Government under its procurement program to expand the Air Force. These engines are already installed in twin-engine U. S. Navy Patrol Boats and two manufacturers' production models of twin-engine U. S. Army Medium Bombers, and twinned-engine Army Attack Bombers as well as other advanced types of Army and Navy aircraft.

WRIGHT AERONAUTICAL CORPORATION  
Paterson New Jersey  
A Division of Curtiss-Wright Corporation

See the Advanced Cyclone Now on Display in The Aviation Building, New York World's Fair

**WRIGHT Aircraft ENGINES**

Engine, also shown in top right  
model engine which develops 175  
hp at 3100 rpm test.

## New Ranger Six

Model 6-440C-2 completes 150 hr. type tests

A new member of the new Ranger 175 hp., 61 octane Model 6-440C-2 engine, has been provided by a military type test consisting of 150 hours of continuous operation. This model was developed to comply with the primary training in

program was completed in an elapsed time of 71 days.

The change on one valve changed two dimensions, and an other valve had a change of more than one-fourth from the original setting, despite the fact that no inspection or adjustments were made from the beginning of the test to the end and inspection following completion of the test program. The Ranger "sludge-plug," which serves as an integral oil chamber in each of the six crankshaft throws, gave excellent performance during the test. The strong preying, photograph shows sludge removed from the "Aero Shell" oil. During normal service, between overhauls, approximately three times the amount of sludge is collected, and removed in a matter of weeks on all bearing parts in the engine. The increase in sludge collected is largely the result of increase in duration of the average service over the test stand conditions. The oil put up an excellent performance during the test, with a virtual absence of wear on rings and all bearings.

Consistent with Ranger practice, the new engine is valve inverted, and is mounted, different from the standard Model 6-112B-2A, now currently in production for private-plane airplanes in the following steps:

Model	Standard 6-112B-2A	6-440C-2
Weight (gross)	145	131
Weight (net)	135	121
Weight (gross)	145	131
Weight (net)	135	121
Weight (gross)	145	131
Weight (net)	135	121
Weight (gross)	145	131
Weight (net)	135	121
Weight (gross)	145	131
Weight (net)	135	121

Weight (gross) 145  
Weight (net) 135  
Weight (gross) 145  
Weight (net) 135

Additional improvements may be summarized as follows:  
(1) New "tandem" valve manifold, and a new layout are employed in the 6-440C-2, designed to secure a running effect by properly valving mixture pistons in the intake manifold to assist in charging the cylinders. By more changes in the "tandem" it is possible to obtain within one hour any desired shape. (This is item 42)

operation of the U. S. Army training program, but has been released for export sale under Approved Type Certificate No. 246.

The endurance testing required by Army specifications consisted of 150 hours of continuous operation with five level steps in change of oil and propellers. The entire test was conducted without a single adjustment of the engine. Forty-five hours of the test were run at rated power, with the hours at rated power and 150 per cent of rated speed. Fifty hours, 20 per cent overprop, and a power reduction were made at the conclusion of the endurance running. The entire

**Proven IN HIGH ALTITUDES**

**STINSON "105's" ACCEPTED BY EXPERIENCED BUYERS IN NATION'S HIGHEST AIRPORTS**

**STINSON BUILT... means Safety and Dependability**

From Chicago to San Francisco... From the Twin Cities to Seattle... From Kansas City through Alton, gateway to Buffalo... From Dallas to Los Angeles, Stinson "105's" have demonstrated their ability to render fine mountain performance.


In Albuquerque, Santa Fe, Bato, Rock Springs, Glenwood, Baseline, Denver, Pueblo and other high altitude test airports, the "105" has carried full loads of 5 passengers and goods for 294 miles. Critical pilots have purchased "105's" after exhaustive tests on their own high altitude fields.

Because the "105" offers automobile economy... a Stinson is just Stinson, Flaps, 100-hourly strokes and other safety features... Because it has Style, Beauty and Comfort, hundreds of people who know good taste have already bought "105's".

See and fly the Stinson "105". Compare yourself that because of its collective advantages it is the most desirable plane for you.

**STINSON AIRCRAFT DIVISION**  
AVIATION MANUFACTURING CORPORATION • WAYNE, MICHIGAN, U.S.A.

AVIATION September, 1938



Sludge plug. Three of the six "sludge plugs" from the cross throws which serve as mechanical oil chambers, after test run. Above: Appearance of typical connecting rod and main bearings after type testing.



Good things for a low cost of money. Every Stinson 105 is built to last.

AVIATION

September, 1938

25

AVIATION  
September, 1938

26

# SNOW NEVER UPSETS SCHEDULES *with* SNOGO ON THE JOB!

TODAY, the handling of modern air transport has come out of the backwash stage. Air transport and all that goes with it is the last word in advancement. Instruments have of course been developed to tell pilot and ground crew previously all they could want to know. The radio compass and radio beacon keep the ship on its course to the airport. Inspection is carried out to the last word. Airports have reached a high state of development. Safety is the watchword. And all this is to be an oval when snow hits.

Snow makes schedules. It endangers lives—you can't get 'em up or bring 'em down to a snow laden field. Hand clearing sometimes takes days. Push planes push up loads for endager wing tip and trap drying

snow. Snows are ineffective in heavy snow! There is only one positive method for airport snow clearance—SNOGO.

SNOGO removes the snow right down to the surface of the airport and throws it clear of the runways, regardless of the depth. No banks are left to endanger wing tips or trap snow into ever deepening, ever snowing lanes. Control is by one man, from a heated cab and the snow can be directed wherever cleared through a reversible discharge.

Here is the answer to your snow clearance problem—here is the answer to schedule maintenance—with SNOGO on the job "grounded because of snow" is a remote for less of business only in the most extreme conditions.

## KLAUER MANUFACTURING COMPANY

Dubuque, Iowa

United Airports  
protect Rentschler Field  
E. Hartford, Conn.,  
with SNOGO

## SNOGO Model LMU for Model D-30 Three Ton International Trucks

The Model SNOGO is a 3000 pound maintenance machine designed for airport service. The interior marks show in the Model TD 100 mounting on your standard four wheel drive truck. Snow is positively guaranteed to handle any snow condition that will cover on your field, clearing it in either direction up to 100 ft. from the runway.



SNOGO Model LMU is based on the United Airport at East Hartford, Conn. open. The longest clearing in the picture left behind is 150 ft. wide and 1400 ft. long. The North-South and East-West runways are 120 ft. wide and 3500 ft. long. The airport is cleared of the hangars a 50 ft. wide and 8000 ft. long. The depth of the snow is 10 ft. thick and the entire area of hangars was cleared with SNOGO in a run in 1 hour.



12 YEARS out of  
the BLUE PRINTS



# SNOGO

FOR COMPLETE SNOW REMOVAL

When you purchase a snow control call you want a proved machine. The first SNOGO was built some 12 years ago and was proved badly used in principle each year, steady improvement has developed SNOGO to a point where today it represents the highest type of snow removal equipment.

## Bellanca 14-9

(Continued from page 36)

Red with black trimmings is the standard color scheme of the model 14-9, and offers an emphasis in areas of cut light which obtained the Civil Aeronautics Authority's approval, the following performance figures have been announced:

Maximum speed at sea level 152 mph  
Cruise speed at 75% power 1300 ft. alt. 120 m.p.h.  
Initial Rate of Climb 750 ft./min.  
Service Ceiling 14000 ft.  
Landing Speed 40 m.p.h.  
Range 400 miles

The dimensions, weights and useful loads of the ship are:

Wing span 35 ft. 3 in.  
Height over caber with tail 10 ft. 2 in.  
Wheel on the ground 6 ft. 4 in.  
Overall length 21 ft. 4 in.  
Wing Area 340 sq. ft.  
Wing Empty 975 lbs.  
Cruise load 120 lbs.  
Fuel 120 lb.  
Gasoline 20 gal.  
Oil 7 gal.  
Two passengers 340 lbs.  
Baggage & other. 80 lbs.  
Gross Weight 1700 lbs.  
Maximum payload 450 lbs.

## Ranger Six

(Continued from page 36)

of BMEP curve. This new non-field design results in mild supercharging, without the weight increase, complication and expense of a supercharger. This gives a BMEP of 121 lb. per sq. in. on 60 engine feet. Calculations have demonstrated that these models will give 132 BMEP on 80 octane without supercharger. This figure is as high as the average for supercharged engines in 87 octane fuel at two or three years ago. The new models also provide exceptionally good distribution, evidenced by the ability to run on the dynamometer at full throttle on 60 octane with a fuel consumption of only .57 lb. per h.p. per hr. Standard carburetor setting to give a running consumption of .55 lb. per h.p. per hr. is provided for service use in auxiliary training planes.

(2) Intake valve ports have been redesigned to provide a smooth and more efficient flow of mixture into the

cylinder, thereby increasing the net working efficiency. This design change is the result of flow tests through the intake ports. The program involved deeply a study of feasible shapes of the intake ports to give maximum turbulence, and therefore maximum boost, to the intake mixture with the intake valve in all positions between full open and full closed.

(3) The 6-440C-2 has an increase in stroke of 1/8 in., bringing the stroke to 5.500 in. The 6-410B-2A has a stroke of 5.125 in.

(4) Each of the two piston valves in the 6-440 upper crankcase has a rolled slot extending the entire length of the crankcase. A rubber oil seal is bonded in this slot to eliminate the possibility of oil seepage.

(5) A new carburetor with modified valve timing is employed in the Model 6-440C-2 engine.

(6) The crankshaft of the 6-440C-2 engine is supplied with a No. 10 oil. Under larger sizes are provided with 8 & 10, No. 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

(7) Pistons are fitted with three 3/32 in. compression rings and one 3/32 in. oil seal ring. Powerfully all six-cylinder engines were equipped with 4 in. rings.

(8) The location of the fuel pump drive has been shifted from the upper left hand side of the engine to the rear end of the scavenging pump housing. A scavenging pump drive is now located on the lower portion of the fuel pump drive.

(9) Chrome-nickel-plated cylinder barrels, chrome-nickel-plated combustion, and stainless stainless exhaust valves comprise the more es-

pecially material changes incorporated in the new 6-440C-2 engine. Magnesium is now being used for the rear case as well as for the crankcase and various small bearings.

(10) A change in the design of the ballast main-bearing has greatly increased their load carrying ability, as well as improving the performance of the carburetor, connecting rod bearings, by providing more oil through the crankshaft in the crankcase.

The accompanying photographs indicate that the engine is similar in external appearance to the former 6-410B-2A engine, after but few external changes have been made. However, the company has been informed that the very small size unit made a feasible installation in current piston-center airplanes which are powered with the Model 6-410B-2A, and the design, production of this model will be continued.

## 1939 Air Races

(Continued from page 25)

only active over a period of exactly ten years now. All of today's racers have been outstanding performers. One exception has been the A-Bull, a modified photomicrograph, which included a minor when introduced last year, but lacked assembly. Since then Smith has had the engine completely rebuilt, has acquired a Hawk-

(Turn to page 34)



## BETTER TEMPERATURE CONTROL with BREEZE Resistance-Type Thermometer

Dependable accuracy... faster responding... ease of connection into the electrical system of an airplane... these are some of the superlatives of the Breeze Resistance-Type Thermometer.

The instrument operates by measuring changes in the conductivity of a heat-sensitive electrical-resistance element, and features three advantages:

The Resistance element is permanently sealed in glass against corrosion and contamination, and is further protected against accidental breakage by an aluminum, nickel-plated and drilled to permit free circulation of the surrounding liquid or gas.

The temperature-resistance characteristics of the element are permanent and it is not affected by the non-reversible variation found in the old type bulbs.

The indicator is the ratio meter type which automatically compensates for variations in battery voltage.

For reading convenience, an "oil in" and "oil out" outside air, cabin and supercharger temperatures and any other point on the aircraft where accurate readings are necessary.

These features make the Breeze Thermometer most efficient in aircraft operation.



Radio Ignition Engine and Auxiliary Building • Spark Plug Radio Sharpening • Multiple Circuit Electrical Connection  
Flexible Shrouding Control and Testing • Gasoline Injection System • Carburetor Engine System  
• Carburetor Carburetor Connectors •  
Internal Tie Rods • Propeller Pitch Control • Engine and Ballast Tie Controls • Flexible Shells and Case Assemblies  
Auxiliary in Flexible Instrument Lines • Tachometer Fuel Pump and Brake Control Units, etc.

Radio Testing Units • Generator and Ignition System • Engine Assembly, Single or Multiple • Fuel and Oil Tests  
Battery Gas Analysis Fuel Air Ratio Instrument • Flexible Testing of Standard Steel, Aluminum, etc.

• Resistance Type Thermometers • Surgeon Instruments and Dental Surgery Tools •  
Distractor Steel Division: Research in the design and development of standard steel structure and fabricated products.

REGULAR CONTRACTORS TO THE U. S. GOVERNMENT

## BREEZE CORPORATIONS, INC.

41 SOUTH BIRTH STREET, NEWARK, N. J.

## Luscombe Seaplane



The Luscombe "SE" is now approved as a seaplane. Handling the SE at 1200 lbs. net weight will give you a 1200 lbs. net weight with a useful load of 400 pounds. Taking off from still water in 10 seconds the Luscombe can climb 1000 feet per minute and cruise at 80 miles an hour. The entire SE "SE" model has incorporated the Luscombe Company's expanding their manufacturing facilities and helping their production time.

AVIATION  
September, 1939

AVIATION  
September, 1939

## AVIATION RADIO

Dialing the Air Waves with Don Fink



### Mobile Landing Equipment

**Aircrack adds a marker beacon transmitter mounted on a cycle**

A COMPLETELY mobile instrument landing system of particular value for military purposes has been achieved by the Aircrack Manufacturing Corporation. The system, shown in the accompanying photo, consists of three elements, which are moved about as a "unit." The track which leads the precision contains a guidance transmitter and supplies power for the glide-path and localizer transmitters. These transmitters are mounted in the mobile trailer. The antenna for these transmitters are mounted directly on the end of the trailer.

The marker beacon transmitter with generator power supply and antenna—like whole units is first—mounted on a motor cycle. The

horizontal antenna may be kept in place as shown while the motorcycle is in action, but ordinarily it is retracted until the temporary station of the transmitter has been reached.


The military advantage of this equipment is emphasized by its many features. Because of complete mobility, the equipment may leave an established military airport and set up in a new base field in a matter of hours. The mobility also permits changing the position of the glide path and its associated marker and localizer according to the demands of the prevailing winds or the topography of the landing area.

### Beacon Receiver

**DCA's AVR-15 packs lots of performance in a small space**

Some months ago in these columns a brief announcement was made of a

new RCA receiver which is intended for installation in light planes, to provide weather, beacon and traffic information. Now more complete specifications on this receiver, the AVR-15, have been released, the specs indicate that it is quite a job despite its small size and light weight. Three six-volt tubes are used, two 6AC7's and a 6AV6, in a dual-oscillator-channel superheterodyne. The R.F. is simply obtained rather than a resonant power supply as from batteries, 25 ma. at the receiving power supply (Type AVR-14) is used, the drain for all power functions is 1.75 amps at 12



volts, or 25 amps at 6 volts. Adjustable antenna coupling circuits are provided, and the maximum output is in the neighborhood of 300 milliwatts into 600 ohm phones, more volume than you or I would care to have clamped to our heads. The price without power supply is \$97.50, with a \$24.00 extra.

The tuning arrangements are simple. The main tuning dial covers the range from 280 to 450 kc and dial has been chosen for easy manipulation with gloved hands, a great boon to the aviator. The peak indicator in the air



Precision blind landing system, developed by Aircrack, uses a marker beacon transmitter, complete with power supply, on a motor cycle (above). Below the complete unit.



AVIATION  
December 1950

## Depend on DOUGLAS EXPERIENCE

FAR greater than just a manufacturing enterprise, Douglas is a veritable storehouse of aircraft experience. Current Douglas models incorporate the knowledge gained in having developed 134 commercial and military types to date. Backing up this experience in research, development and production are the service records of more than 350,000 hours daily in world-wide airline use. Douglas Aircraft Co., Inc., Santa Monica, California.



# » DOUGLAS «

trial tower frequency is 275 to a large toggle switch is provided on the front panel, which, when thrown to the radio control frequency, automatically disconnects the variable tuning system. The selector name, illustrated here with three a dual-width of only slightly greater than 4 in. at 20 db attenuation (ten times down). The narrow selectivity band permits a considerable degree of selective interference, even with engine interference on the a wideband beacon broadcast. The receiver and its accessory equipment (power supply, antenna, intercom) bear CANET approved certification.

## New Genemotor

Earlier Announced Heavy-duty Power Supply for Aircraft Use

The Carter Mosco Co., Chicago has announced a new line of heavy-duty converters suitable for aircraft radio and starter purposes. Among the features of the new unit are oil-welded bearings, oil-impregnated stator with mica-insulated commutator, hard carbon brushes, vibration frame, and full modulator arm and condenser for operation under continuous duty. Load power range from 227.5 to 360 in. class of size, which allows standard for use with these units can be obtained from \$12 to \$15. The 12-watt unit, specially adapted to aircraft work, are manufactured in the con-

put voltage ratings from 200 to 250 volts, with millivoltage draw from 125 to 200 volts (not corresponding ratings). These units weigh 9 lb. 8 oz without filter to the smaller class and 12 lb. in the larger size. The filter weight is 1 lb. each. Special windings for 12 or 20 volt output are also available. Dual units having twice the rating of the single units are also available. They weigh 18 lb. and require a filter weighing 2 lb.

For powerplants having an output down to 10 amp or higher, a remote control starting motor is recommended. This motor may be supplied with a handswitch for cutting off the motor power supply when the transmitter unit is in use.

## Transfer

Seeking New Chief Engineer at Rochester Manufacturing Company

WE HAVE OPPORTUNITY for an experienced engineer of L. A. Schmitt as chief engineer of the Thomas L. Schmitt Manufacturing Company, Chicago, Kansas City, Mo. Schmitt formerly in charge of the radio development projects at the Radio Radio Corporation, will direct the design of solid and modulated stream tube equipment for the Schmitt company, as well as the development of new designs and service equipment manufactured by this firm.

## WINDOW SHOPPING

THE following catalog of interest to the aviation reader have recently been made available and may be obtained without charge (unless otherwise indicated) by writing to the manufacturers listed:

AERIAL PROTECTOR COMPANY—An 8 page illustrated catalog describing the latest air mapping camera equipment offered by Mack Hard Air Mapping Corp., Minneapolis, Minn.

GREY AIRCRAFT CONSTRUCTION—Can also describe named Chaudron-River Corporation, 220 Eighth Street, Detroit, U. S. A.

GRUMMAN PRODUCTS FOR 1939—A four-color illustrated booklet showing all the latest uses for rubber. Goodrich Tire & Rubber Co., Akron, Ohio.

MAGNETIC TOOL WORKS METAL—A 36-page new bound manual liberally illustrated and generously supplied with data dealing with applications of magnetic alloys to various products and problems. Magnetron Fabricators, Division of Steel Aluminum and Brass Corp., Adrian, Mich.

MAGNETRON FB—A descriptive folder dealing with Magnetron chemical used in cold-water cleaning of engine parts. Magnetron Chemical Company, Inc., Garwood, N. J.

MAJOR ENGINEERING—A presentation of the latest developments in 50 engine equipment. Niagara Machine & Tool Works, Buffalo, N. Y.

NIAGARA POWER SPARKERS NEW—Bulletin 311—Covering description of this 10 sheet listing a catalog up to 10 pages.

PRUDENTIAL BUSINESS BOOKS AND BUREAU—A 4-page folder showing photographs the advantages and applications of the standard hand type screw. Prudential Manufacturing Company, 2700 Broadway Road, Chicago, Ill.

SCREW CATALOG FOR 1939—Describes the complete line of machine tools, instruments, and machinery handled by this corporation, including all types of mechanical tools, optical inspection tools, and other special inspection tools. George Scherr Company, 128 Lafayette St., New York N. Y.

Again

SKF Responds TO INDUSTRY'S NEED!



New-A DOUBLE FELT SEAL BEARING MADE TO STANDARD SINGLE ROW WIDTHS

SKF RED SEAL BEARINGS



THE STOP SIGNAL FOR DIRT  
Planet Applied For

- 1 Made to standard single row SAE dimensions with races flush on both sides.
- 2 Assures perfect sealing and retention of grease over great range of speeds.
- 3 Provides for large area of felt fibre contact, yet within the standard width.
- 4 Frictional drag is kept at a minimum, sealing by felt fibre contact on polished grooves instead of by compression.
- 5 Sealing ability is constant. Will not leak. The resiliency of felt provides automatic correction for wear.
- 6 Provides the same lubricant space as in most off-standard bearings.
- 7 Simplified design because of standard dimensions, saves space.

SKF RED SEAL BEARINGS  
SKF INDUSTRIAL, INC., FRONT STREET & ONE AVE., PHILADELPHIA, PA.



Bell & Howell model plane (shown with wing removed) developed by Joseph Reynolds (left) was selected for demonstration at Detroit International Show.

AVIATION  
December, 1939



# BUYER'S LOG BOOK

What's New in Accessories, Materials, Supplies, and Equipment

Although not about the effect of all navigation instruments, the magnetic compass has been subjected to continuing improvement in recent months. Typical of such progress is the new Type 8858 Direction Indicator announced by the Rohlfen Instrument Company. Unlike all previous compasses of this type, a moving pointer continuously indicates direction against a fixed dial. Not only does this eliminate setting of the verge ring for each course, but it permits the observer to know instantly the heading of the airplane if he inadvertently deviates from the correct course. Parallel reference lines and index may be set to facilitate compass readings over extended periods of time. By using a fixed dial reference to a ray a scale may locate the dial layout correspondingly easily in that of the compass rose on the cap. Parallel is completely eliminated.—*Aircraft, September, 1939*

Working in conjunction with the propeller manufacturers' effort to improve, an advance type De-Lorier Propeller Spinner has been developed by the Thos. L. Shubert-Mfg. Co. of Kansas City, Mo. By means of an ingenious system of shock absorbing mountings the Shubert-Mfg. Spinner gives a service life of several thousand hours instead of the customary 100 hours of service for the conventional propeller spinner. The Shubert-Mfg. spinner is self-lubricating, provides total enclosure for the hub, and may be removed without removing propeller.—*Aircraft, September, 1939*

A complete new series of lightweight, aircraft type electric generating plants has been announced by D. W. Clark & Son, Minneapolis, Minn. The various models range from 2000 to 7500 watts output, with various voltages and 80 to 200 cycle alternating or direct current. The units are standardized in construction and a series of 21 different types of generators can be supplied on each of the three models. Power on all three models is supplied by two cylinder opposed four cycle air-cooled gasoline engines equipped with high torque magnets, fuel pumps and automatic chokes. Weight range is from 20 to 175 lbs. for the three models offered. These units have been designed for use on aircraft or in emergency equipment or for power supply in remote regions for the operation of electrical systems and devices.—*Aircraft, September, 1939*

Major problem of engine systems, has been in developing a satisfactory pump to handle the small quantities of oil being fed required for such items as propellers. The Shubert-Mfg. De-Lorier fuel pump, developed by the Thos. L. Shubert-Mfg. Co. of Kansas City, a subsidiary of Aviatron Associates, Corp. of Glendale, Calif., has been widely tested in aircraft use. The pump is of double-throw type, one pump supplying both propellers on a two-engine plane. The pump has a 15 in. 50 in. flow and has a rated capacity of 14500 CC per hour. Inlet and valves are readily accessible for cleaning without dismantling the pump. The pump is driven by a electric motor with remote control, both of which are completely radio shielded. The motor may be supplied in 6, 12, or 24 volts, and has a current consumption of one ampere.—*Aircraft, September, 1939*

Increasing extension of aerial photography into map making fields of many kinds has brought intensive development of aerial map making equipment. A new series of cameras designed primarily for map making and incorporating many original features is now in production by the Mark II Ltd. Air Mapping Corporation, Minneapolis, Minn. The Mark II Ltd camera and mount make up a complete unit and are relatively compact and light in weight. All essential instruments, such as two-way level, stop watch, and cameras, are located in a tray on top of the camera directly in line with the operator's normal vision. Film containers of unusual design speed up loading and unloading in flight. A quick, removable gas tank contains most of the operating mechanism. The lower eye is interchangeable. The camera carries 180 ft. of film and has a exposure rate of 100 ft.—*Aircraft, September, 1939*



Rohlfen Direction Indicator



Shubert-Mfg. De-Lorier Spinner



Shubert-Mfg. De-Lorier fuel pump.



Shubert-Mfg. De-Lorier fuel pump.



ETC. Val Wood Brake



ETC. Val Wood Brake

In order to test the automatic speed control unit of the Hamilton-Bland and constant speed propeller with the precision required by the manufacturer a complete test unit has been produced by the Thos. L. Shubert-Mfg. Co. of Kansas City, Mo. The automatic speed control mounts on the rearview panel of the test unit in the same manner as it is mounted on the engine, and is driven by a 1/2 hp. variable speed motor controlled from the panel. A variable tachometer regulates the speed of the motor while a pressure gauge shows the back pressure on the pump. An electric clock reads in seconds to determine volume output of the pump. This unit is also used to set the control for pitch against performance c.p.m.—*Aircraft, September, 1939*

No better example of the industry's growth could be adduced than the frequency with which new power presses are proved on the trade by press builders. Latest is a 14-ton (1400-lb.) "Search-Line" PARTRAPRESS double stroke press by the Hydraulic Press Manufacturing Company, Mount Gilead, Ohio. This press has two separate hydraulic pressing members, the main slide, and the cushion plates located underneath the latter plate. A fast change and opening speed, without shock, is accomplished by the patented PARTRAPRESS system.—*Aircraft, September, 1939*

Many useful properties are available for a new plastic material known as Monocor and offered by the Armstrong Cork Company, Lancaster, Pa. Monocor is a plastic material containing of hard rubber, a softening power and cork granules. The product is used on the job and when used on it from 8 to 12 hours, with a final set in from 24 to 48 hours. It is said to be an ideal material for surrounding stressed parts and other exposed parts, a makes a desirable covering for airplane cabins, and it is an excellent material for covering control panels or for wing walkways, as it is non-slip, wet or dry.—*Aircraft, September, 1939*

Spot welders and other resistance welding equipment specifically designed to meet the needs of the aircraft industry in welding aluminum alloys, and stainless steel parts, has been developed and marketed by the Avco Electric Welder Company, of Farmington Park, Conn.—*Aircraft, September, 1939*

A new tail wheel brake assembly has recently been developed by the Auto Mutual Tending Co. of Brooklyn, N. Y., built mainly for use in the light plane field. The unit consists of a convertible tail wheel with a brake attached to it which can be operated without a 200 degree rotation. The outstanding feature in this assembly is the New Departure brake that is operated from the cockpit through a 30 ft. flexible cable. By the pilot's seat is a lever which when pressed will operate a cable or slide clamping effect. The wheel will turn a counter side turn, slide to the left and stop, under five or six in. of the complete unit weighs approximately 4 lb. and can be installed on any light plane having a spring tail tail set.

A high precision plug gage developed specifically for checking cylinder bores while set up on the finishing machine, or on final inspection, has been perfected by the Sheffield Gage Corp., of Dayton, Ohio. The gage can be used to verify and interpret all dimensions of bores. It carries two gaging points diametrically opposite each other and instantly indicates any irregularity on either side of the bore. Any condition of bell-mouth, taper, or fillets are immediately apparent on the dial scale.—*Aircraft, September, 1939*

(Please turn to page 78)



New Shubert-Mfg. plug gage.

## NO VALVE TROUBLE

for Boston & Maine—Central Vermont Airways  
Thanks to **SIoux AIRCRAFT TOOLS**

Mr. C. M. Bellin, Dept. of Engineering, reports, "During 6 years of operation over densely populated New England necessitating high percentage of full throttle take-offs, no valve or valve seat trouble has been experienced, due in great part to our precision **SIoux Valve and Valve-seat reconditioning equipment.**"



**SIoux VALVE FACE GRINDING MACHINE**  
No. 402 produces smoother **WET GRINDER** No. 402 produces smoother jobs. It grinds precision work easily and quickly—both precision wheel, dressing, and wet grinds all valves up to 6" diameter and 10" long valves. Grinding head easily adjusted for large or small valves. It wet grinds valve tappets and rocker arms to original shape. Comes complete with diamond dressing stones, reamer sharpening and rocker arm grinding attachments, 1/2 hp. motor, etc. Chucking capacity 12" to 18 1/2"



**SIoux AIRCRAFT DUAL ACTION VALVE SEAT GRINDER** Accuracy with speed in refacing aircraft valve seats—either cast, hardened steel, bronze or stainless. The driving spindle is adjustable. Universal motor operates on AC or DC. Six weights 3/4 lb.



WRITE FOR FULL INFORMATION

STANDARD THE

ALBERTSON & CO., INC.

WORLD OVER

SIoux CITY, IOWA, U.S.A.

# THE AVIATION NEWS

REVUE, COMMENT, BROADCAST

DANIEL SAYRE  
C. H. McLaughlin, Public Good  
E. B. Lincoln, New York

SEPTEMBER 1939

## New Millions for Air Defense

(Start on page 52)



**TRICK OF THE MONTH:** Imperial Airways has adopted the "roster system" for refueling their American-built mail ships. This is part of their plan for flying the Atlantic via the northern route through Newfoundland. **REVEAL:** The crew of the "Gardiner" read a Landing paper in New York after their passage of crossing. Left to right: Capt. B. G. Long, Chief Officer B. G. Frost, First Officer Commander J. E. Kelly, Engineer R. H. O'Hara, C. E. Whitcomb, and Radio Room Officer A. A. Coker. **RIGHT:** The "Coker" gives the new refueling system a test.



**PARADE OF THE MONTH:** Return-819s from Mitchell Field line up over New York celebrating the Air Corps 30th Anniversary Air Show.





## Another World Record for Lycoming!



### Moody Brothers Set New Endurance Record for Light Planes with Lycoming "55" Taylorcraft!

That Lycoming engines are the stars of the skyways was further evidenced last month when Humphrey and Hunter Moody, pictured above, broke the previous world sustained flight record for light planes by a decisive margin of 215 hours and 3 minutes! Their Lycoming 55-horsepower, dual ignition engine—similar to the model used by Dewey Eldred in establishing two international light airplane records earlier in the year—admirably withstood the test of more than 14 days of continuous operation. The actual time was 343 hours and 46 minutes before the flying brothers decided to land because of a severe electrical storm. . . . Whether you fly for sport, pleasure, business or world records, you can rely on Lycoming to give you championship performance.

See the Lycoming Exhibit in the Aviation Building of the New York World's Fair

FOR MILITARY TRAINERS, PRIVATE AND COMMERCIAL AIRPLANES



THIS 55-HORSEPOWER dual ignition Lycoming light plane engine may be obtained from all Taylorcraft, Cessna and Aerovox dealers. Or write Department A-9, Lycoming Engine, Aviation Manufacturing Corporation, Williamsport, Pa. U. S. A. Catalogs obtainable on request.

YOU CAN RELY ON  
**LYCOMING**  
80 to 1200 HP  
**Engines**

"Building up all of these engines and additions to our aircraft engine plant, the Lycoming is at this moment, thanks to the \$400,000 appropriation in the Third Defense Bill, actually making the arrangements for the turning of 15,000 standard piston and cylinder methods we know through our, in fact, methods that produce such pilots.



ROBERT H. MOULEY  
Lycom with satisfaction

"Across the river at Gracely Park, one-half the Lycoming 55 has been completed within the last few days on the National Airport, which will make the Nation's Capital the home of an air trained unit and to more in the world for health, convenience and efficiency. Work has proceeded so effectively and so rapidly under the supervision of the Corps of Engineers of the United States Army that we can promise the nation that this splendid example of what air transport can do for a community will be available at the Nation's Capital for all to see and to use before another anniversary rolls around.

"These are the physical things that have been accomplished Congress, in the Civil Aeronautics Act of 1938, by deciding that economic safety concerned a plan intended only to physical safety in the development of a civil aviation suitable for the foreign and domestic economy, the Postal Service and the national defense, recognized for the first time that the economic, air transportation, had become a utility whose new conditions were of such importance to the people as a whole to warrant its recognition as a public utility. . . .

"Unexpectedly favorable progress can be reported in this respect. The existing system of scheduled air mail carriers is

now legally a public utility. All of the certificates under the so-called "grandfather clause" of the Act have been issued to the air mail carriers after the full and complete investigation of the safety and efficiency of the services they have rendered. This has not been, as was previously anticipated, a merely routine procedure. Under the new decision affecting the validity of administrative law, it was necessary to make court-proof records in all of these determinations. A good result of that necessary step has been the development of a mass of information on air line operations which will be invaluable in the determination of regular air lines, such as applications for new services.

"The development of this information has also proved of great use and will prove of further use in determining the economy and efficiency of management as a factor in determining rates for the carriage of mail, first to the government, the merchant and the public, as the Authority is required to do. "The determination of these and other cases and the hearing and determination of applications for new routes is now actively proceeding. Of the eleven pending decisions, one has been accepted for hearing, and the other has been postponed at the request of the carrier concerned.

"Of the 50 applications for new routes, one has already been decided, 10 are pending decisions after hearing, and 25 have been notified for hearing.

### Congress Was War-Not Air-Blinded

By Helen Steinhilber

Army and Navy air service out-pitched civil aviation in a showdown in the First Session of the 75th Congress. While the highway some went to town with hundreds of millions in blow, the air forces of some got money because and this nation.

Post Office air mail money was added not only to the Civil Aeronautics Act, but was budgeted far below the asking figure, C.A.A. pilot Truman was refused to test this bill, support expenses got out a thin dime except that Washington made it a point of a ten million dollar part out of public money; Congress failed to vote up properly when the bill was sent to the Senate for the wartime bureau; Civil Aeronautics Act of 1938, C.A.A. failed to vote on the bill; the government reorganization act and may use the day, an attempt to get an air committee in the Senate led

## Guaranteed Forgings

Laboratory Controlled

# WYMAN GORDON

WORCESTER, MASS. HARVEY, ILLINOIS  
DETROIT, MICH.





# AROUND THE WORLD Non-Stop

... that's the equivalent of *Taylorcraft's*  
**New World's Record Endurance Flight**

**PILOTS HUNTER AND HUMPHREY MOODY FLY TAYLORCRAFT  
 NON-STOP FOR 14 DAYS, 7 HOURS, 46 MINUTES**



**Congratulations  
 to the PGUs of  
 New Springfield**

Endured by 121 hours Taylorcraft would record for light planes of 218 hours and 43 minutes, two power landers, Hunter and Humphrey Moody piloted their Taylorcraft over a 30 mile course at the Ryan Field, Illinois Municipal Airport for 343 hours and 46 minutes continuous flight—over 7 weeks in the air. The distance around the world at this equator. After this grueling grudge both the Taylorcraft plane and its dependable CR 10 P F. Lowland expert were back home again. The flight was recorded only because of a severe wind and clouded sky.



Again, Taylorcraft's outstanding stowage and dependability have been proven—the third world's record flight for Taylorcraft this year. You may never wish to subject yourself to your plane to such a grueling test, but it is vital that the airplane you buy and fly be capable of meeting the extraordinary performance requirements.

The remarkable test of two men sitting in an airplane continuously for over two weeks—flying it non-stop for 27,000 miles—demonstrates beyond all doubt the trustworthiness, performance, the ease of control and the absolute comfort which have made Taylorcraft the choice of more flyers.

See and fly this most amazing airplane value of today. It's the one you, too, will surely choose to own. Write or for the name of a nearby Taylorcraft dealer and a demonstration flight will be arranged.

**TAYLORCRAFT AVIATION CORPORATION • ALLIANCE, OHIO**

**FLY**

**TAYLORCRAFT**

**AMERICA'S MOST MODERN  
 LOW-PRICED AIRPLANE**

# AVIATION MANUFACTURING

## Alison Buehler Plant

250,000 sq. ft. will be made new orders

With \$10,000,000 worth of Army Air Corps orders on hand for their new, liquid-cooled, six-cylinder, Allison Engineering Division of General Motors Corporation is making work on their new factory at Indianapolis, with assembly

plant in January, production has been accelerated to the present one-day rate, percentage has been increased to over 7,000, and now to over 10,000, and a new seven cylinder motor in the 150 to 180 horse power range, and experiments have been run on a 110 horse power engine whose exhaust manifold system design permits air cooling with a very low thermal resistance in the manifold have proven satisfactory for more than 1,000 hours and the prototype engine will be ready for block testing in the near future.

## New Orders Grumman

Grumman Aircraft has recently received a contract amounting to \$1,710,000 from the Navy Department for six planes and airplane parts. The contract brings the Grumman order book total up to \$4,630,000.

## Lockheed

Setting an all-time high for deliveries in any one month, the Lockheed Aircraft Corp. delivered \$10,000,000 worth of aircraft during the first half of 1935 according to an announcement by Robert E. Gross, president. This represents an increase of approximately 1.65 per cent over the previous high of \$11,149 in the first half of 1934, and totaling exceeds the \$18,711,853 sales of the full year 1933.

Commenting on the present schedule of deliveries Mr. Gross said, "... deliveries of \$7,000, 800 were made during May and June, an increase of \$1,000,000 a month. Lockheed is now working on orders for 40 new planes a month, or better than one a day. ... At the time the British Government placed its order the plant was operating with about 2,000 men turning out approximately 100 planes a month. ... In the relatively short time when the first British plane was delivered in January, production has been accelerated to the present one-day rate, percentage has been increased to over 7,000, and now to over 10,000, and a new seven cylinder motor in the 150 to 180 horse power range, and experiments have been run on a 110 horse power engine whose exhaust manifold system design permits air cooling with a very low thermal resistance in the manifold have proven satisfactory for more than 1,000 hours and the prototype engine will be ready for block testing in the near future.

The officers for the new company are: D. S. Schaeffer, President; Arthur Lee, Vice President; Keith L. Hines, Secretary-Treasurer; and Earl Herring, General Manager.

## Barrell, Vogt

Mr. Short, president of Voge Aircraft Company, Barrell, Calif., has announced the appointment of Vernon A. Dornell, chief pilot of the company, to the position of sales manager. Dornell is a veteran pilot, having been flying since 1924. He joined Pan American Airways in 1929. In 1930 he went to Australia to introduce a fleet of Lockheed aircraft for the Lockheed Aircraft Corp. In 1932 he was named operations manager of MacCormick Air Lines, of Kansas City, and in 1934 he joined the Voge Aircraft Company as chief test pilot. Early in July he was ordered first flight tests of the new Voge and will continue to supervise the first test program in conjunction with the new design.

The Voge Aircraft Company has also obtained receipt of an additional contract from the Kinross Engine Rotors. The same Kinross has been mounted in the engine manufacturing field and was in offered \$1,000,000 of Kinross Rotors with a total dollar per value. This production has been through the purchase of Kinross Aircraft and Rotors Corporation Ltd., and the new firm will concentrate on engine manufacturing. Three standard models will be produced under the Kinross

## North American

North American Aviation, Inc., delivered more than \$10,000,000 worth of aircraft during the first six months of 1935 according to a statement issued by J. H. Brundage, president. Deliveries for the second quarter of the year are estimated to be 10 percent of the record figure of \$1,700,000 reported for the last three months of the year. Output is now exceeding all previous production records, with 75 planes delivered during April and 80 shipped in May. As the plant is working on a 24-hour basis, this represents a production rate of four planes per working day. Most of these deliveries are against a British order for 400 planes and a French order for 500 planes of the latest design type, with a 2200 hp. Pratt & Whitney engine. The French order will be increased by 10 additional 500 planes of the same type. Meanwhile regular production has been ac-



**MORE ROOM FOR ALLIANCE: WITH 20,000 sq. ft. floor space and the promise of a speedy production line, Allison has Indianapolis plant ready to turn out quite a few airplanes.**



VERNON A. DORELL  
New Sales Manager for Vaco

Lockheed Aircraft Corporation has parts and accessories which decrease the parts business backlog to about \$100,000. The new contract calls for various aircraft accessories and standard parts to be installed in both the commercial and military aircraft under production for Lockheed. The Vaco factory is located in Marietta and adjacent the plant of the Lockheed Corporation. The Vaco company now employs more than 100 persons and has 125,000 sq ft of floor space available for production and expansion. Work on the new parts contract will not interfere with production for other way on a part of five of the new Vaco production light transport planes powered with the Hispano-Suiza engine plant. The first Vaco production is now undergoing extensive flight tests.

#### No. Amer. Posts Taylor

North American Aviation has announced the appointment of Leland E. Taylor as its new representative in Washington. Taylor is known well for his company. Mr. Taylor will



LELAND E. TAYLOR  
new of North American

handle the contacts with the army, the navy and the Army Air Corps division of military and procurement at Wright Field, Dayton, Ohio. This work was formerly done by the office of H. H. Kohnberger, president of the company.

#### Lascombe

Lascombe Aircraft Co. celebrated the completion of its 100th aircraft built since Aug. 1 with a company picnic at West Division, N. J. Three Lascombe airplanes were delivered in August. One to Mr. Joseph H. Knecht for use in Colombia, South America, another to Dr. Miles Robinson of Philadelphia, and one to Mr. John D. Maher of Greenwich, Connecticut. Recent exports include a plane to Monrovia, Sierra Leone, East Africa, 28 new Lascombe were ordered between July 11 and Aug. 15.

#### Heads Severely Experts

Lieutenant Colonel H. W. Pinkinger (retired) of the United States Army Air Corps has joined the Fafnir Engineering Corporation staff as Director of the Engine Division. Lt. Colonel Pinkinger graduated from Massachusetts Institute of Technology in the course of Mechanical and Aeronautical



COL. H. W. PINKINGER  
new Fafnir representative

Engineering, was commissioned in the Army Air Corps in early 1917 and remained in that service for 20 years in various technical and production positions during this period.

#### Holiday to Spartan

The Spartan Aircraft Company has accepted the appointment of H. Warren Holladay as its new sales manager. Previous to this appointment he served as assistant chief engineer, a machine shop service in Fort Worth, Texas. Holladay has spent two years



### At your fingertips . . . BALL BEARINGS PROVED RIGHT!

For all of your standard engine and accessory applications . . . as well as the new developments that call for proved, high-capacity ball bearings . . . in the Fafnir Engineering Manual serve to your guide! The Fafnir has . . . the principles affecting the selection, application and operation . . . the complete treatment of characteristics, dimensions and capacities have stored this 290 page book a place beside every drawing board.


FAFNIR  
MEANS  
Extra  
CAPACITY



While you're building the advantages of ordinary ball bearings into the heavy-service spots of your shop, you might as well add the extra ruggedness, longer life and sustained rigidity secured by Fafnir's balanced design. Larger balls, cutting friction-free in deeper races, add a big plus to ordinary ball bearing performance . . . they raise margin of total and three capacity loads over the whole Fafnir line. Write for the Engineering Manual, new free to designers and engineers. The Fafnir Bearing Co., Aircraft Division, New Britain, Conn.

**FAFNIR**  
THE BALANCED LINE . . .

## Engineering is a better cure than Turnbuckles for "LATERAL LOCOMOTOR-ATAXIA"



WHEN YOUR RIGHT FOOT doesn't know what your left foot's going to do, it's either locomotor-ataxia . . . or too much joy-joy. But when a control wheel doesn't know what the controls are going to do, you can't blame it on John D. Lee. A poorly-mounted wheel, or badly-supported control spokes, will do a crazy man. And tightening the turnbuckles just prolongs the agony.

If you, like Lockheed, apply the cure in the blue-print stage, you'll get the complete emergency shown above. The real lead of the cable tension is evident obviously by two Fafnir K-1 Ball Bearings combining over 13,000

pounds capacity . . . graced with lubricant . . . double sealed with special steel shields. The chain runs over double-line sprockets completely devoid of any visible . . .

Don't call a Fafnir K-1 Ball Bearing in every case. Don't call a Fafnir for a special aircraft ball bearing and you've checked the necessary Fafnir line. Fafnir Catalogs show dimensions and characteristics of the right bearing for every spot on every shop . . . developed in ten years of close cooperation with the aircraft industry . . . proved in performance in almost everything that flies. The Fafnir Bearing Company, Aircraft Division, New Britain, Conn. The Aircraft Bearing Specialists

**Ball Bearings**  
... MOST COMPLETE IN AMERICA

For Aircraft  
Engines and  
Controls



in the Sales and Service Departments of Packard Aircraft Corp. Also working in the Sales Department is at various times was contacted with the Kolls Aircraft Corporation of Philadelphia and in the production department of the Republic Aircraft Corporation. Besides this he has been President of the company and operated flying services in Virginia.

#### Hamilton Succeeds Deak

Walter A. Hamilton has been named manager of the El Segundo Division of the Douglas Aircraft Company, Inc., according to an announcement by Major Carl A. Crow, general manager of E. C. Deak, formerly

the United States Government. The order amounts to \$2,000,000, and is to be made by Oct. 31. To make satisfactory delivery the company has purchased and installed \$2,000,000 of new equipment, and will put more than 500 additional men on the payroll. These factory shifts will be worked day and night, and all factory and office employees will receive a bonus of 10 per cent on wages and salaries upon completion of the contract on schedule.

#### Timon Files with SEC

Timon Aircraft Corp., Van Nuys and Glendale, Calif., has filed a registration statement with the Securities and Ex-



THE LOCKHEED EXPLORER: This is what the model 44 will look like when out of the mock-up stage. With an estimated top speed of 240 m.p.h., a landing slide is a new step for Lockheed.

changed by Timon. It is planned to enter the Hughes race in the current Hughes Trophy race.

#### Al Menasco Retires

Al Menasco will leave his firm to work in development of the Menasco series of aircraft and new aircraft structures, has returned from service to become a free Ford dealer in Culver City, Calif., a suburb of Los Angeles. It was in Culver City 54 years ago that Menasco was a design consultant through his work in building and testing model airplanes. Menasco designed and built his first aircraft engine in 1919, and founded what was the Menasco Manufacturing Company for the following twelve years, during which time Menasco repaired plane and motor accidents.

Menasco, now owning 65,000 shares of E. C. Deak common stock, is to be added to the public at \$1 per share. Projects will be used for aircraft and motor engines. The Menasco company is widely known on the West coast as an aircraft repair firm. Under the expanded program aircraft repair work will be concentrated at the Culver City plant and manufacture of aircraft and parts will be carried on in the new plant on Metropolitan Avenue, Van Nuys. In addition to development of the Timon two engine light transport plane, described in Aviation, April, 1935, the Timon company is entering the military market with a trainer and a pursuit design.

#### Corbett on Boeing Board

The election of Everett Corbett, prominent Seattle business executive, as a director on the board of directors of the Boeing Aircraft Company, has recently been announced.

Mr. Corbett is president of the Seattle General Merchandise Company, a position which he has held for the past ten years. Previously he was for twenty years manager of the Seattle office of General C. Moore and Company, a division of Standard

Steam in Rockville, Pennsylvania. Mr. Corbett is an engineering graduate of Yale University, holding both bachelor's and master's degrees. He joined the C. C. Moore and Company in 1904, first as a draftsman in the New York office, then as a design engineer and test work in San Francisco and Los Angeles prior to his move to Seattle in 1920.

#### Berkley-Brew Steps Up

Increased interest for the Berkley-Brew T-21, now more than six months in Canada on regular transportation schedule, has resulted in the company's decision to start production of an additional group of five ships at the Detroit factory, where prospects that the group will be increased to ten. The production of the T-21 is now being completed and is not expected to be run shortly.

Berkley-Brew has announced that the following solutions have been made to the delivery staff:

Mr. Allen J. Tappet, formerly of Berkeley, Consolidated and Chicago Aircraft Company, as Chief Engineer.

Mr. George Barr, formerly of Berkeley, as Staff Pilot.

Mr. R. P. Kinschick has been appointed Chief Test Pilot.

#### A Pin for Pedler

James P. Pedler, manager of transportation for the R. P. Goodrich Company, Akron, Ohio, and a well known figure in aviation circles, has been named to the position of service manager and received his service pins from company officials.

Pedler is a division of Standard aviation activities for the past

five years, in numerous positions of the French and American Flying Corps. He is a member of the Sport, Aviation and the American Legion.

#### Grannon

Grannon Aircraft Equipment Corporation has increased its Board of Directors from five to seven members. The new directors are William T. Scheraga, chief engineer, and R. Alphonse Gilson, executive manager of the company.

#### Cable to Douglas

William Froughe ("BUD") Cable, retired U.S.A. pilot, has been assigned to the staff of Douglas Aircraft Company, which is being organized to manufacture by Major Carl A. Crow. Douglas is now working on the World War and is now an officer in the U.S. Air Corps Reserve. He is currently fighting against the attack bomber being built in the El Segundo Douglas plant for delivery to the Netherlands Government.

#### Earle Now A. V. P.

Robert L. Earle has been promoted to the position of Vice-President in the Cushman-Temple Corporation. Formerly Earle was general manager of the Cushman-Temple Division of the Republic, Inc., in Cripple Creek, Colorado. He is now in charge of the company, which is now in the process of being reorganized. Earle is now in the process of being reorganized. Earle is now in the process of being reorganized.

#### Experts Still Climbing

Associated exports of \$18,115,000 from the United States have been set in a new estimate for the year ending March 31, 1935. The United Kingdom accounted for \$1,200,000 of the total total, while Mexico purchased of 27 items amounted to \$1,215,000. The total for the year ending March 31, 1935, is \$18,115,000, an increase of \$1,215,000 over the year ending March 31, 1934.

Mr. W. P. Kinschick has been appointed Chief Test Pilot. Mr. George Barr, formerly of Berkeley, Consolidated and Chicago Aircraft Company, as Chief Engineer. Mr. R. P. Kinschick has been appointed Chief Test Pilot.

## ENGINEERING

#### Now Guard For Me

The development of new principles and design concepts for magnetic alloys has recently been announced by the New Chemical Company.

According to New Chemical, two of these alloys known as "Tremolite" No. 1 and Tremolite No. 2 are now being developed. These alloys are known for their strength and resistance to corrosion. They are also known for their resistance to oxidation and their resistance to acid.

These alloys are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company.

These alloys are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company.

These alloys are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company. They are now being developed by the New Chemical Company.

#### Temple Gets S.A.E. Post

Edwin W. Temple has been named chairman of the governing board of the Southern California Section of the Society of Automotive Engineers. Temple is now in the process of being reorganized. Temple is now in the process of being reorganized.

Capt. Wm. A. F. Mifflin, Jr. of the Army Air Corps Reserve, Fred C. Fenton, Los Angeles-Motor Coach Company, and Larry J. Gorman, Rockwell (D) Corp.

The S.A.E. section notes that two thousand engineers in the Los Angeles area, a majority of whom are engaged in aircraft work. Present plans and the subsequent expansion of the section's activities in aircraft engineering in the area, with special attention to the development of new aircraft designs, planned by the section, will be discussed at the annual meeting of the section, which will be held in Los Angeles, California, on October 15-17, 1935, under the direction of Mr. Fenton, president of the Western Aircraft Company.

#### Earl Chief At Martin

Announcement has been made of the promotion of William R. Earl, American Chief Engineer, to the position of Chief Engineer of the Martin Aircraft Company. Earl is now in the process of being reorganized. Earl is now in the process of being reorganized.

Earl is now in the process of being reorganized. Earl is now in the process of being reorganized. Earl is now in the process of being reorganized.

#### C-W's Four-Blade

Keeping in line with the latest four-blade propeller design, Wright has recently brought out their new four-blade propeller design. The addition of another blade is aimed at increasing the air flow and horsepower of the engine without increasing the weight of the propeller. Wright is now in the process of being reorganized. Wright is now in the process of being reorganized.



HAMILTON TAKES OVER DOUGLAS PORT WESTON: Cable in the wing trimmer ship plant for two months. Hamilton is now in the process of being reorganized. Hamilton is now in the process of being reorganized.

also president of the Douglas Company and manager of the El Segundo Division, has been named to the position of Chief Engineer of the Douglas Aircraft Company. Hamilton is now in the process of being reorganized. Hamilton is now in the process of being reorganized.

#### Bomber Order to Butler

One of the largest orders of the Lockheed Aircraft Company for delivery of 14,000 special order buildings, has been awarded to the Butler Manufacturing Company, Easton City and Minneapolis, by

size and accuracy of a wide range of types of aircraft and commercial aircraft. In the transport field his research into

#### Int. Congress Postponed

The aviation show at Los Angeles and in such a large scale and scope as to make it impossible to hold the International Congress of the Aeronautical Engineers in New York in September, 1935, has been decided by the Council of the Institute to postpone the Congress until 1936. The plan of the Congress was to be held in New York in September, 1935, but the decision to postpone the Congress until 1936 has been made by the Council of the Institute.



WILLIAM R. EARL moves up in the world









## 1939 Air Races

(Continued from page 41)

non-standard constant speed propeller and has built a wing of entirely new design. The new wing is of clipped plan form, and is relatively stubby, having a span of but 18 ft. Bobb Baker and Polikoff were disappointed with their new plane last year and as a result that both of them will have "start-the-world" in an effort to regain their last passages through 1939 competition. We suspect that if Earl, probably flown by service Joe Jacobson, to give any of them a battle in both the Green and Thompson.

Harry Crosby has made almost no changes in his racer this year, but has concentrated on getting it in shape to run without any of the difficulties which have beset him in the past. Crosby's present plan is not to be somewhat faster than the original racer in which he crashed two years ago. At that time the air speed indicator came through the crash and stuck tight at 284 mph, which is at least a good point from which to start guessing about the speed possibilities of Crosby's present job if and when it is actually right. Crosby has Rudy Kling's old Peltier propeller and may have given a hole in some of the Cleveland air show along about Labor Day.

Only based near this job at Cleveland, so far as we know, will be the Floyd Sperry—if it gets there. In mid-August the Floyd tag had not yet been sent down. However, the design is almost identical with that of the Chandler racer, which fished swimming last year well, but in a crash, except that the Floyd plane carries a non-cylinder Monoco D68 engine, instead of the four in the Chandler. The Floyd racer is also quite similar to the Polikoff in general layout, being a high and-wing center-engine monoplane. The ship is generally clean, as the leading gear retracts straight up into a fuselage wall, and should be easily fast. Wing span is approximately 23 ft. 30 in., and the wing area is very thin section, the NACA 2400. Wing loading runs up to around 30 lb. per sq. ft., with max. fuel load. And Bob Tessa, this pilot, is a most perfect ornamental pilot who has a total of around 750 hours, none of it on race planes. Therefore, if Earl is able to handle this chunk of half-painted aluminum, he may get quite a smash among the trophies. The Professional Race Pilot

Association is a bit sketchy about Earl's participation in the 1939 race and will keep a very wary eye on his flight today. Under the circumstances Bess and Floyd, who left the plane to gather and hold it in just overnight, will certainly deserve any prize money they win. Being young at the time, these fellows still have some hope for the future of racing. In developing their present plans they have received generous help from Mr. A. Tidmore, Assistant Secretary, and Wm. Johnson, vice of the instrument shop, at Pacific Aeronautics Corp. Through these men they obtained the Monoco D68 racing engine originally used in the Elder race now owned by Schoenfeld.

The other planes entered for the Green Trophy Race include the Max Lee Douglas, Orlando Fluck, and Howard Hale. All are well known to our readers. This will be about the eighth season of competition for Elder and this year for Earl Lee Douglas.

Which brings us to Rexford Turner and the classic Thompson Trophy. Turner is said to have picked up 25 mph through improvements and adjustments on his engine. Theoretically, he should fly the Thompson at better than 300 mph—and we think anyone will do just that this year—but not Bessie. If Bessie does, then someone else will be ahead in the finish. There is a bare possibility that the Hughes racer will be entered in the Thompson instead of the Elder. If so we think it will finish in front of Turner, but not in first position. We are giving right one on a bank and pushing time in another in-line engine just.

We have picked Art Chesser as the favorite to win the Thompson. The race started at 10:30 a. m. in a fairly warm day. We figure one of the four fastest 250's will copy the Thompson this year, but with all the winging over they all get in the Green the day before, it is anybody's guess which one of the four will be able to get the race up just as Monday. Knowing how differently Art Chesser has behaved to make his engine cool and smooth, we figure he is the boy to rise up in all his wings and turn on the last of Labor Day. Furthermore, we write the names of LeVier, Chester, Polikoff, and Elder's ship on four chips of paper put them in a hat and pulled one out. It was "Chester" on it, which is how we hope our Thompson favorite.

Getting back to more solid ground, we want to remind our readers of Rudy Kling's 1937 race. Many cars of "Elder" were rated at the time, and

some thought Rudy's victory was purely accidental. It is not generally known that Kling's Polikoff was the fastest plane on the course in 1937. Racing against Turner's big job, and Wessman's Bessie, Rudy was especially left far back in the race while Wessman ran away from the pack. When Wessman and Turner ran into trouble Rudy took in a winner, actually Wessman was much faster than Turner at that occasion. Yet Rudy's best lap, 279 mph, was better than anything turned in by Wessman. Rudy was still pretty much of an amateur at the time, and he was flying a new plane and engine. He put a very hot start, in new, new look in the early stages of the race, but he flew about every lap faster than the lap before. Three of his lap speeds were faster than Turner's best lap and his plane and engine were going strong at the finish.

It seems fairly certain that Kling's 1937 had some of the stuff on the ball which DeVroya showed up at Los Angeles in 1936. And a lot of stuff of a kind from 279 to 300 mph in two years time. So if Rudy could do 279 with a Polikoff in 1937 we can just that DeVroya will do at least that well with his Polikoff in 1939, and that LeVier, Jacobson, and Chesser will all do as well, or better. The National Airspeeding race has never done much better than 265 mph on a closed course, so we feel Bessie carrying the tank again will add a few to see, which is enough to encourage us to start cheering for the 250 or in its line thirty days in advance of the race.

One unconsidered factor this year, however, is Wessman's Bessie. Wessman ran away from everyone in 1937 as fast as his engine ran. He may be back with a new shot of "big-arms" in this year's Thompson, in giving an engine on our friend 1939. In fact, we have heard Wessman in third position, ahead of all the 250's but one. And we give the reliable Stevenson-Bromberg will come streaming along in about 8th spot at the creditable speed of 225 mph. Strong thing behind with some LeVier, Jacobson, Crosby and Bessie in the 300 job, ahead of Lt. Joe Shelby in Bessie's Middel-Williams, which doesn't look to have speed enough to get up near the front this year. We may be badly misled on our suggestive guesses in place among the 350's, but we think they'll be up near the front in some order, having beaten at engine factors in the Green race which would keep one or more of them from competitors in the Thompson.

THEY WHO LOOK AHEAD

THEY WHO LOOK TO THE EUROPEAN MARKET LOOK TO

# Helliwells

OF WALSALL AIRPORT, ENGLAND.


THE LARGEST AIRCRAFT COMPONENT MANUFACTURERS IN EUROPE — SUPPLYING ALL THE LEADING AIRCRAFT MANUFACTURERS.

1899

# How STAINLESS STEEL helps make Aircraft Lighter, Stronger, Safer



This Valiant attack bomber uses stainless steel for exhaust manifolds and fire walls to resist heat and corrosion and for military applications where lightness, corrosion-resistance, and vibration-resistance are essential.




Above: Light pipe "Coke" and lightweight, non-corrosive stainless steel for high speed welding.

Above: 20-24 stainless steel fire wall for use in the Douglas DC-4 in transport and aircraft in corrosion.

Below: A light, strong element from the General Electric GE-4 in transport and aircraft in corrosion.

Below: Stainless steel exhaust manifold, tested with Rayovac battery after exposure 224,000 air miles.



**Electromet**  
Ferro-Alloys & Metals

DESIGNERS and manufacturers of all types of aircraft find stainless steel an ideal material for an increasing number of uses. A few typical applications are shown here. Stainless steel has four inherent advantages which make it a logical material for use in aircraft construction:

1. **Excellent Strength-Weight Ratio**—Compared favorably with other commonly used materials. Result: Strength with light weight means payload, longer cruising range.
2. **Ease of Fabrication**—by modern, high speed welding processes. Result: Faster production, cheaper production. Result: Safer aircraft, lower operating costs.
3. **Corrosion Resistance**—resistance to atmospheric corrosion. Result: No painting, longer production, less maintenance.
4. **Strength at High Temperatures**—up to 1850 deg. F. Result: Safer, but corrosion goes and corrosion, longer life, dependability, fireproof, greater safety.

We do not make steel, but for over thirty years we have produced "Electromet" ferroalloys used in making steel. The kind of steel we produce and other alloy steels (like aluminum) and the assistance of our metallurgists are available without obligation. A request on your letterhead will bring the book, "Stainless Steel in Aircraft."

**ELECTROMET METALLURGICAL COMPANY**  
Dept. of Sales Circulars and Orders Department  
300 East 10th Street, 22nd Floor, New York, N. Y.  
In Canada: Electric Metallurgical Company of Canada Limited, Montreal, Quebec.

The word "Electromet" is a registered trademark of Electric Metallurgical Company.

## Making Use of Ground Effect

(Continued from page 31)

that are very large or when a wing is too close to the ground surface. However, we note that in some cases the formulas have been applied for angles in angle of attack up to the stall, and for heights quite near to the ground surface. Of course it is a fallacy that a landing is made in a still atmosphere. Wind currents are always present and several corrections have been made for the presence of wind speed gradients for various distances ranging from five to fifty feet above the ground surface.

The curves of Fig. 2, taken from flight tests made in 1934-5 on a British Spitfire (biplane) demonstrate a striking manner the extent to which the theoretical corrections can depart from actualities. The ground surface is now replaced by a water surface but the Windchamber formulae apply equally well in both cases. The wings of this airplane possessed span of 28 ft with chord of 18 ft and wing gap of 10 ft. The lower wing was at a mean height of 9 ft above the water surface during the test observations for interference effects. For the specified conditions of flight the spanwise factor  $\omega$  of 24 of the mean height above the water surface is assumed to be 14 ft. Selecting an angle of attack of 7.5 degrees we find for a glide angle of the ground (or water) effect, upon the corresponding value of the lift coefficient is 0.58. Within the limits shown the best results that for the same  $C_L$  the angle of attack becomes 5.5 deg.

From formula (2), it is found that the apparent aspect ratio, as the interference term, is:

$$A' = \frac{A}{1 - \omega^2} = 6.86$$

The theoretical aspect ratio is now plotted on:

$$C_L = \frac{A}{\pi} \times \frac{2\pi}{\alpha} \times \frac{1}{1 - \omega^2} \times \frac{1}{1000} = 4.2$$

The effective angle of attack for  $C_L$  is 0.68 ft now obtained by use of the well-known transformation relation:

$$\alpha' = \alpha + 0.5 \times \left[ \frac{1}{1 - \omega^2} \right] \times \frac{1}{1000}$$

where "0" and "100" apply for lift at altitudes well beyond the influence of the ground effect region. Therefore:

$$\alpha' = 7.5 - 0.08 \times \left[ \frac{1}{1 - \omega^2} \right] \times \frac{1}{1000} = 6.40 \text{ deg.}$$

By the curves of Fig. 4 above  $C_L$  is 0.58, a difference of (0.68 - 0.58) = 0.10 deg. The correction is on the right direction but about 40 per cent too low. The biplane factor has been said off by one of the above formulae.

The curve of Fig. 5 shows how the coefficient factor "0" varies with the height upon ratio (A/R). We note that interference is provided for low values of this ratio, so when the wing is quite close to the ground and rapidly decreases as the ratio grows. The ratio is based on the Prandtl formula:

$$A' = \frac{1}{1 - \omega^2}$$

The effect of different geometric aspect ratios on the manner in which the induced drag coefficient  $C_{Di}$  changes with changes in height upon ratio (A/R), are well brought out by the curves of Fig. 6. Apparently the lower the geometric aspect ratio the greater will be  $C_{Di}$  for a given  $C_L$  and (A/R), but the effect of aspect ratio also becomes negligible for geometric aspect ratios greater than 10. The lowest curve has been selected to represent the very detailed shape of the magnitude of  $C_{Di}$  when  $C_L$  is reduced, in other words, the induced drag coefficient is only of importance is comparatively large angles of attack. The rate of change of  $C_L$  with (A/R) is noticeably greater for the low aspect ratio, but, but in all cases will be used in evidence for changes in altitude which occur quite close to the ground surface.

Some  $C_L$  as a function of  $C_L$ , it is necessary to bear in mind the effect of changes in (A/R) on the lift coefficient for different values of the geometric angle of attack. The curves of Fig. 5 are based on the experiments of Toms, but have been substituted in a general way by the results of both laboratory and flight tests. For low values of the angle of attack  $C_L$  apparently increases the closer an airplane flies to the ground surface, but as the angle of attack grows higher values the growth in  $C_L$  decreases until it still values then may arise a reversal and  $C_L$  starts to decrease. Aerodynamic theory so far fails to re-

strict us as to the functional relation between  $C_L$  and  $C_L$  in large angles of attack, but we may infer from known facts that it is possible for the decrease in the induced drag to be counteracted at high angles of attack when an airplane is quite close to the ground surface. It is quite possible that the possible drag of a wing is also subject to interference effects under such conditions.

We have in fact studied the manner in which the induced drag coefficient  $C_{Di}$  is related to the ground effect. It is now appropriate to state briefly the effect on the induced and total drag. The induced drag is given by the well-known formula:

$$D_i = \frac{1}{2} C_{Di} \rho V^2$$

where  $D_i$  is the wing area in square feet, and  $V$  is the flight speed in feet per second. Hence it is observed that the induced drag is determined by the flight speed and the induced drag coefficient and does not change in the same ratio. As the angle of attack is increased,  $V$  will decrease while  $C_L$  increases, usually at a slower rate than the change in the flight speed. We may then say that the changes in the induced drag and hence the horsepower required to overcome the induced drag can be represented by curves similar to those of Fig. 4 but they will be somewhat flatter than the latter curves.

## Some Practical Aspects of "Ground Effect"

As stated in the first part of this article ground interference has been a well-known but not very well-understood flight phenomenon, and its influence on the ground performance of airplanes has remained very much at a state of flux. The increased development of the amphibious airplanes, together with the importance and more extended use of supercharged engines and the growing use of wing flaps, have had a profound effect on the landing and take-off behavior of airplanes. We should also add that the use of induced landing gear, both retractable and fixed, has been an important factor in modifying the older and well-established methods of landing and take-off. A few remarks will be made concerning the landing of an airplane, as influenced by "ground effect."

The classical landing of an airplane, and it is still applicable to modern aircraft, consisted in a glide to within twenty feet or so of the ground at a speed somewhat in excess of the

(From page 30)

AVIATION  
September, 1937

## Buyer's Log Book

(Continued from page 49)

**Many manufacturers are making notable contributions to aviation trade literature.** The following brief catalog may be obtained by writing direct to the firms listed:

**SELF-DRIVE HYDRAULIC BRAKING MAINTAINERS**—Bullfinch No. 3H-D and Bullfinch No. 325-B. Two valuable maintainers for shop use, tested with aircraft engine off-vehicle braking problems. Barnes Dev Co., 654-659 Chestnut Street, Rockford, Illinois.

**BLACKHAWK PUMP POWER**—An elastomer filler describing a line of hand and power operated liquid handling pumps now being used widely in aviation for handling lubricants, gases, liquids, etc. Blackhawk Pump Company, Grand Rapids, Mich.

**BOSSLET TOOLS—CATALOG No. 39-A**—61-page illustrated catalog, punched for loose leaf binder, describing the complete Bosslet line of tools and tool cabinets. Bosslet Forge & Tool Works, Allentown, Pa.

**FRONTIER DIE CASTINGS FOR POWER PRESSING**—A folder of interest to aircraft shop men using the die casting process. Dayton Rogers Mfg. Co., Muskegon, Michigan.

**DOCKEN-GRABER CATALOG No. 37-D**—Dies, Tools, Metal Stampings, Marking Devices. A total of systems & items produced in steel and described in a wide format; catalog dealing exclusively with dies, gauges, and marking devices. The Docken-Grabber Company, 1600 Madison Avenue, Cleveland, Ohio.

**FIXED FLIGHT ANALYZER**—An illustrated folder describing in detail the functioning of the fixed flight analyzing system, which records simultaneously all the essential flight and power plant functions. Julius P. Fritz & Sons, Baltimore, Md. & Central Ave., Baltimore, Md.

**JENNINGS LITERATURE**, SELF LUBRICATING BEARING BRUSHES—A 12-page bearing and bearing catalog. Johnson Bearing Company, New Castle, Pa.

**KIRBY-LUCE FINE LITHOGRAPHING**, BULLETIN No. AE-496—An eight-page bulletin describing the new lithography handle, one-hand free extrapaper with fingertip control. Walker Kirby & Co., Inc., 345 Cedar St., New York, N. Y.

**HYVOLUME**, PAPER, BULLETIN 139—A four page bulletin dealing with high-production streamlined pressure especially adapted to aircraft pressure. Lake Erie Engineering Corp., Buffalo, N. Y.

**ARMO LIGHTING**, 3009—A loose-leaf catalog of the complete line of lighting equipment offered by Lights, Inc., with special stress on the portable air equipment, and the battery operated emergency light systems. Lights, Incorporated, 2328-14 Aviation Blvd., Los Angeles, Calif.

**FRASERS IN MACROSCOPIC ZINC ALLOY DIE CASTINGS**—A 24-page book of considerable value to aviation shop people new that the casting is becoming a standard practice in aircraft production. The New Jersey Zinc Company, 380 Front Street, New York, N. Y.

**NIAGARA FURNACE AND BRANES, MANUALLY OPERATED**, Bulletin 74-A—An 18-page catalog of boilers and branes such as are applicable in aircraft work. Niagara Power Squaring Works, Bulletin 75-D. An 18-page booklet describing the latest Niagara work, such as are in course use in aircraft plants. Niagara Machine & Tool Works, 837-897 Northland Avenue, Buffalo, N. Y.

tail speed, followed by a leveling off into a light pull which is maintained steadily in the ground surface until the decrease in air speed across the stall value and contact is made with the ground. In this form of landing the landing speed at contact would usually be small or negligible. "Ground effect" comes into the picture during the interval between level-off and contact, when the airplane floats or skims along quite close to the landing surface.

The length of the "float" depends on the time required for the drag to absorb excess of kinetic energy possessed by the airplane over and above that which it possesses under stalled flight. In this manner, the "float" of an airplane, the drag under normal conditions of flight was relatively high, but when such craft came within the ground interference zone, their stall drag was so materially decreased that the rate of kinetic energy absorption and the float distance were thereby lengthened. The only remedy was to see to it that the air speed at the end of the level-off was not very much in excess of the stall speed. Moreover, the fact that ground effect tends to produce a higher lift for a given angle of attack, means that the pilot cannot bring the angle of attack so quickly to its stall value, and this factor contributes to producing the "float."

The modern type of airplane with their inherently low drag coefficient for the most excess of speed at level off than the airplanes of former years. If the speed at the end of level-off is too high, and wing flaps are not available, the pilot can "float off" and allow the drag to reduce gradually the speed to the stall value, or he can bring his craft into contact with the ground at an angle of attack somewhat lower than the stall angle, and consequently with an appreciable reserve speed. This necessitates the landing gear and wheel being depressed upon to absorb the shock without rebound, or too much discomfort. When an airplane is fitted with flaps which are deflected during the level-off, the gradual decreased drag of these temporary surfaces quickly absorbs the excess kinetic energy with consequent reduction or elimination of the "float." Wing flaps, when deflected, do not change the stall angle but they do increase the lift coefficient at stall, and thereby decrease the landing speed. For this reason, lower landing speeds are made possible with the use of wing flaps.

## George Pelham starts a career at the Boeing School of Aeronautics



1. Pelham, who came from a good family of a well-known family, is now in the school of aeronautics, looking forward to a career in the aviation industry.



2. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



3. George Pelham is now in the school of aeronautics, looking forward to a career in the aviation industry.



4. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



5. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



6. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



7. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



8. He is now in the school of aeronautics, looking forward to a career in the aviation industry.



9. He is now in the school of aeronautics, looking forward to a career in the aviation industry.

## Boeing School of Aeronautics

UNITED A DIVISION OF UNITED AIR LINES

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.

Boeing School of Aeronautics, Seattle, Wash., U.S.A.



You've read about it...wanted it...waited for it!

**NOW YOU CAN HAVE IT!**



Western Electric

## ABSOLUTE ALTIMETER

...acclaimed throughout the world!



The altimeter would be hailed Western Electric's Absolute Altimeter as the greatest contribution to flying in years. Built on an entirely new principle, it refutes itself by continuous, instantaneous readings the altimeter between an airplane and the terrain beneath it. The Absolute Altimeter is not affected by temperature, atmospheric pressure

or humidity. Accurately, it can be used... developed by Bell Telephone Laboratories... and made by Western Electric, whose aviation radio equipment has long been standard on major U.S. airlines.

For full details, write Western Electric Company, Dept. 328-A, 210 Broadway, New York, N.Y.

**Western Electric**

Radio Division  
in Canada

TWO-WAY AVIATION RADIO TELEPHONE AND TELEGRAPH EQUIPMENT

AVIATION  
December, 1951

91



## The Birdmen's Perch

We were looking through some of our mail the other night when the thought struck us to take a cruise. Between 11 and 12, the 100 hours landed some 13 miles. The Director of Columbia, Harvard, Ontario, British Columbia, Saskatchewan, Quebec, England, and Cuba with the long distance letters divided between 1 A. A. 1000 of New York, Dallas and Jack Miller of Melbourne, Australia. The 100 hours 1,000 and 11,000 miles from here, respectively. (Continued on column 107)

MARION AL WILLIAMS, also known as "Pop"  
Big Girl Avenue, Portland, Ore. 97201, 1000

### A MARK OF PROGRESS

Headline headlines at least most of 'em were fine things. They were adaptability to make living a part of people's everyday existence. And to have the day when it will become part of everybody's life.

But once in a while we notice a little into our lives become some kind of progress has not the same quality it should. For instance, we feel that the whole world should know that Pennsylvania Central Airlines recently received the first permission from the CAA to operate their 520 H P. Wasp engines 700 hours between major overhauls!



To our mind, that's news! It's a mark of progress in P.C.A.'s operation and maintenance procedure, in Pratt and Whitney who made the engine, and to Gulf whose aviation gasoline and petroleum. And to Pennsylvania Gulf Airline Oil—the runner and town of Gallopole—in and to every P.C.A. plane.

It is the engine Aladdin process—used in addition to conventional methods—that goes down far deeper into the 100% Pure Pennsylvania—goes out up to 20% more motor-generating dirt and noise. And which, in the first year, P.C.A. used Gulf gasoline, substantially reduced oil costs.

### MENTAL GYMNASTICS

This month we have two head-scratchers, one easy, one a little harder.

No. 1—A mechanic reaches into a dark locker to get a pair of socks. There are in the locker 15 pairs of red, 15 pairs of white, and 15 pairs of blue socks and



probled up. How many socks does he have to pull out to make sure he has two that match?

No. 2—Take in a picture, first, that all men have one or more brains, and, second, that there are more brains in the world than there are brains on any one man. Then it follows that any two of all the brains must have the same number of brains. Can you prove it one way or the other?

Don't be awfully nights wondering if your answers are right. We'll be glad to mail you the official solutions. Just send your answers to "W T" to be checked.)

### THIS MONTH'S WHOPPER



Dear Maize

A couple of years ago in Kene County, we were having a storm in a drought. Road's not any run for a couple of years.

On one of those days that I sleep the hair off a dog's back, I decided to go to town for a quart of oil. On the way, I had to cross Pop Creek—I was not certain that I always had plenty of water.

As I was driving across the creek the dam bridge collapsed. And there I fell to the creek bottom.

Well, sir, I was drowning it through the gate trying to get out when the dam began to go. Luckily I had a pair of Gulf Aviation Gas. Only the fact that I used for a fly spray on



I poured the G.A.G. in the tank and stopped on the shore—yep, yep, yep, don't ask me how the creek like a lot out of the old place, flowing more 10 miles in every direction.

It did look a good job of throwing water that may a drip was left in the creek but the crops were saved from drought.

Robert Gower

Gulf Oil Corporation and Gulf Refining Company... million of



**GULF  
AVIATION  
PRODUCTS**

AVIATION  
December, 1951

91



**SPERRY INSTRUMENTS**  
**AID SURVEY FOR NEW ATLANTIC SERVICE**



Captain P. J. Byrne, remainder  
of American Export's *Solitaire*  
owner's estate.

In completing a series of scientific survey flights across the Atlantic, American Export has written a new chapter in aviation history. Long famous for successful steamship operations, the line will soon be ready to accommodate air passengers as well. The routes are ready, the pioneering done.

Referring to the part which Sperry instruments played in this important accomplishment, Captain Byrne reported "During all our flights we relied continually upon the Sperry Gyroplot, Gyro-Horizon, Directional Gyro and Gyro-Magnetic Compass. Their splendid performance was of great assistance to the successful completion of every trip."



SPERRY GYROSCOPE COMPANY, Inc.

BROOKLYN, N.Y.

REVIEWS  
Reviewed by

**LEWIS HOLY NAME SCHOOL OF AERONAUTICS..**  
*offers a complete specialized education in all phases of*  
**AVIATION - ENGINEERING - FLYING - OPERATION**  
**MAINTENANCE - BUSINESS ADMINISTRATION**

His talent was lost in question-answer tests and was thereby nearly lost to his country. He was severely punished for his failure to do well in the mathematics examinations. NOW the student is open to help of his fellow students and teachers who are willing to work hard to qualify for a lasting future in this highly specialized field. Only boys who are graduates of approved high schools and whose admission is pending in the top quartile of their classes will be accepted as students. They should, preferably, have received a mathematics and the sciences but may also come from their first year with the freedom to concentrate only in subjects. Students enter in June or September and graduates in September or close to year's end. The summer class through the summer months with two weeks ending each 12-month period for vacation. The effect has been reported to make the same course the finest available and in setting up a school of experts in this field by able graduates of the summer



It transpires that the British, having been informed by the Americans, had already been in the area for some time. The British, however, had been in the area for some time. The British, however, had been in the area for some time.



the authors, the authors are not aware of any other studies that have examined the effect of the type of information on the decision to seek help. The authors are also not aware of any other studies that have examined the effect of the type of information on the decision to seek help.

The knee joint is a remarkable bearing for which an average of 4000 times being required by the knee joint. This is approximately 200 times more than the average of 200 times required by the hip joint and 100 times more than the average of 100 times required by the ankle joint. The knee joint is a remarkable bearing for which an average of 4000 times being required by the knee joint. This is approximately 200 times more than the average of 200 times required by the hip joint and 100 times more than the average of 100 times required by the ankle joint.



**TO PARENTS:**

If you are lucky enough to have a car, when this industry crumbles and interest in electric vehicles, how do you get to work? In the last 10 years, there have been a number of car-sharing services that have popped up, but they are not quite the same as the car-sharing services that we have seen in the past. They are more like a car-sharing service that is designed to be used for short-term, one-way trips.

**DISCLAIMER FOR CONTRIBUTORS:**  
 Approval to be published online is given to authors of high quality who have agreed to the inclusion of their study online.

五牛：五牛：五牛  
五牛：五牛：五牛

1

### FACTS ABOUT THE SCHOOL

## ★ 中国音乐家协会会员、中国音乐著作权协会会员。

[illegible]

• **NOTATION—**

The school is located in Jackson Township, 10 miles southeast of the city of Chicago and 2 miles north of Palmer.

◆ 建築設計事務所

All types of transcription are readily available. The second form is the form which includes an in-situ calculated cost.

★ ACCO-BOOKS & TOPICS —

**Global:** The school provides large state rooms, in which you probably can connect. The school provides the

★ **STAGE COSTS**

Land: The school is situated on the edge of land, the corner of which runs on the street. The remainder is along

— 1999 —

★ **REVIEWERS:**  
 Graduate class credit will be accepted

● **CONCLUSIONS**

The books review offered by *Management and Engineering* and *Books* is a brief list of books chosen by *Management and Engineering*.

...the ...

many four-year college seniors.

LEWIS HOLY NAME SCHOOL of AERONAUTICS  
Box 11, LOCKPORT, ILLINOIS

Bitte sende uns Detailschritt mit:

Revised: 11/10/2009

**Activities** \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_





CHARTING THE COURSE FOR

# Air Progress



PIONEER  
AIRCRAFT COMPASS



PIONEER  
PRESSURE GAUGE  
CUTOUT



PIONEER  
IMMUNITY ALTIMETER

Continually there is no more powerful feedback to a pilot's gauges and instruments than his implicit confidence in the instruments by which he flies. The more accurately he knows how his engines are functioning, his speed, height, course and flying position, the better and safer and more safely he flies.

Pioneer Instruments, which have been the trusted companions of virtually every history making flight, are now the everyday equipment of all airlines, the army, the navy, and most civilian pilots. They helped bring yesterday's work of Air Progress... and will help bring tomorrow's.

**PIONEER INSTRUMENT**  
DIVISION OF BENDIS AVIATION CORPORATION  
BENDIX, NEW JERSEY

Designed to Train You for Leadership in Aviation

# PARKS Professional Flight and Executive Course



**T**his Professional Flight and Executive Course at Parks Air College offers you foundation training for every piloting activity in commercial aviation, with special emphasis upon the acquisition of knowledge and skills required for progress in commercial air transport.

Commission, the 3rd class Radio Telephone Operator's License and the 3rd class Radio Code Enforcement.

Parks Professional Flight and Executive Course requires 8 terms at 36 weeks for completion—the standards maintained are of true college rank throughout. It is thorough, comprehensive, 96.5 per cent of graduates are active in commercial aviation, 72 per cent of the number being in airline piloting.

Parks offers three additional courses, Aviation Operations and Executive, Maintenance Engineering and Aero-spatial Engineering, all preparing you to qualify for success in commercial aviation. To receive complete information write now for free 60-page catalog and bulletin giving full details. Send in the coupon below—today.

**PARKS AIR COLLEGE, East St. Louis, Ill.**

PARKS AIR COLLEGE  
East St. Louis, Illinois Section AN-8

Please send me details of Parks Air College courses in commercial aviation training.

Name \_\_\_\_\_ Age \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

As directed by the Federal Department of Transportation, U. S. Department of Commerce, Commercial Ground and Flying School and "Wichita" School, established by correspondence with the Federal Bureau of Investigation, the Bureau of Aeronautics and the Bureau of Air Commerce.



## REMOVABLE, REPLACEABLE FELT SEALS

AS *Pioneered* BY NORMA-HOFFMANN FOR *Aircraft* CONTROLS

ARE **FRICION-FREE** AND **EASY TO INSPECT** AND **REGREASE**



While these seals are **FIXED** against accidental displacement, they are **REMOVABLE** and **REPLACIBLE** at will, easily and quickly. They control the reduced diameter of the recessed inner ring lands and consequently function with a minimum of friction; moreover, they facilitate regreasing and inspection for keep-again use and. These seals, together with exclusive plating of exposed surfaces, give NORMA-HOFFMANN AIRCRAFT CONTROL BEARINGS complete protection against the elements and foreign matter. "T-T-T" They are available in a number of sizes, both single and double row types—all combining extreme sensitivity with utmost rigidity and abnormally frictional resistance, "sticking", and wear.

Like many other fundamental aircraft types, these Removable Felt Seal Control Bearings were engineered by NORMA-HOFFMANN, and are extensively used in U. S. Navy and commercial aircraft.

Write for the Catalog, let our engineers work with you.

**NORMA-HOFFMANN**  
**PRECISION BEARINGS**  
**BALL, ROLLER AND THRUST**

**NORMA-HOFFMANN BEARINGS CORPORATION, STAMFORD, CONN., U. S. A.**

AVIATION  
Technician, 1933  
92

## POINTS OF *Extra Value* IN THE **Cessna Airmaster**

*"The World's Most Efficient Airplane"*



1. Choice of Motors; either 145 (151 m. p. h. cruising) or 165 HP (157 m. p. h. cruising) Werner Super Scarab Engine.
2. Hydraulic Brakes, with individual heel pedals and parking lever.
3. Cantilever Landing Gear; semi-symmetrical design.
4. Full Rear-way Vision; you can see in air or on ground.
5. Roomy Cabin, wide door, ample passenger space, large baggage compartment.
6. Full Cantilever Wing Construction, no external struts or wires.
7. Electrically Actuated Wing Flaps; positive open, close and lock; irreversible; Synchronized.
8. Superfine Finish, hand rubbed.
9. Full Cantilever Tail Group; complete streamlining appears in design.
10. Full Swivel Tail Wheel with Positive Lock; extreme ground maneuverability.
11. Keel-edge Wing Tips, plywood covered, designed for speed and stability.
12. Efficiency: "World's Most Efficient Airplane," permanent life awarded in open competition.

Cessna owners are proud owners because they know Cessna excels in Beauty, Performance, and Economy.

**C E S S N A**  
**AIRCRAFT COMPANY**  
**WICHITA, KANSAS, U. S. A.**

Export Agents - **ARLBERG STAMPAH & EXPORT INC.**  
61 GRAND ST. NEW YORK 14, N. Y. - CABLE ADDRESS - "ARLBERG"

AVIATION  
Technician, 1933  
93

## Going Places In 1940? . . . Then Let This FREE MANUAL Help You



You will find that this Manual explains piloting and flight techniques from the ground up. It has been specially compiled by the editors of **AVIATION** to meet the needs of Students, Pilots, Mechanics, Plane Owners, Road Bus Operators, Transport and Airport Men. It is a most well-kept secret, with your subscription to **AVIATION**—the monthly news of which being your equally practical plan for making your way in your chosen work.

Just a moment in the authors' names and subjects will tell you that here's a book you've got to have. L. C. Combs, Chief Pilot, U.S. Marine Corps, tells you how to land your way in the Air—Dual Landing, Crosswind, Tailwind, etc. John P. Gray tells you all about the radio compass and how to apply it in navigation. E. A. Gifford explains non-quant flight and radio beam flying. And he tells you of the fueling and difficulties usually encountered and how to overcome them. He tells you how to land a plane when the engine is down on the water. Don Fink tells you all about radio equipment and how to use it. You'll get great advice by Don Vickers and Roger on the fundamentals of air mail mailings. D. W. Crawford gives you all the data on high altitude flying. Edward T. Allen gives you the low-down on flight testing. G. J. Brown, Jr. tells you all you have to know about water flying techniques. Tom Rankin tells you all about airplane construction. There are many others.

This book will help you realize your flying ambitions. The questions and answers of typical Department of Commerce examinations alone will save you hours of work and study.

*This book that has set the whole industry talking is FREE to every new reader to AVIATION.*

### Attention: Present Subscribers

You may obtain a copy of this FREE book by entering your present subscription. *Remember!* At what your present subscription expires, you must send in another **FREE-PAID** renewal order. Your subscription will be extended (for additional time without duplicate) until in your order the payment today.

## Forward March In Your Flying Career—with AVIATION and this 160 page, practical manual

### MAIL THIS COUPON AT ONCE

AVIATION, 130 W. 42nd St., New York, N.Y.

I enclose \$4. Send my subscription to AVIATION for two years and send me the **PILOT'S MANUAL**. I'll not experience the delivery charges.

☐ 12 issues only, please check here.

☐ I'll take my subscription volume 11 and check here.

Name

Address

City  State

Company

Postage

Don't Order Book in United States. Postmaster and Details.

AVIATION  
September 1939  
11

If you're just starting out—if you've contemplated for long you're in a power-off position—this is an ideal book. This book and the contents of **AVIATION** can help you with these things. Thousands of our readers who started with us as students are now reporters and in the world of flying. They think that the old round magazine and information brought them to **AVIATION** has helped them in advance. This same material can help you. And the cream of what it is contained in the pages of "Pilot's Manual" which comes to you free.

To get your free copy of the "Pilot's Manual" simply use the handy form below. Every pilot—no matter how old or experienced—will have a copy of this helpful book, without cost. Send only the regular subscription fee—\$4.00 plus \$4.00 postage—and your book will come to you at once. There may be just the information you need in the pages of this book. Let it and the monthly news of **AVIATION** help you go right in flying. Get your copy at once by filling out the convenient form and mailing it to us NOW.



● The PAN AMERICAN Yankee Clipper Boeing 314 has demonstrated its "air-worthiness" and trans-Atlantic air travel has settled down to a routine schedule of weekly round-trip flights. You can now cross the ocean any week in a luxurious 18-room air liner, in shower room comfort, in less than 24 hours!

The China Clipper Martin 130 enters its fifth year of regular service to Honolulu, Manila, and Hong Kong . . . PESCO products, standard on PAA transports and those of leading air lines the world over, play an important part in shortening travel distances on and between the continents.



OUR HEADS • CORNELL PAPERS • VALZONI PAPER

**PUMP ENGINEERING SERVICE CORPORATION**  
DIVISION OF THE VALZONI PAPER COMPANY  
1800 TAFT AVENUE CLEVELAND, OHIO, U. S. A.

AVIATION  
September 1939  
11





**MORE**

**CONTINENTAL AIRCRAFT  
ENGINES of 40-50-65 and 75**

Horsepower were delivered in June and July of this year than in any two months period in the history of the company. Production is far ahead of last year and still climbing.

We're proud of this record and even more proud of the reputation the CONTINENTAL A-40, A-50, A-65 and A-75 engines have established in the small plane field. Proof of Continental's leadership is evidenced by continued increase in sales and the fact that ALL leading small plane manufacturers use CONTINENTAL engines.

**Continental Motors Corporation**  
*Aircraft Engine Division*  
1601 E. JEFFERSON AVENUE • CHICAGO, ILLINOIS

*The World Famous  
Caterpillar Club*

has over 2800 Members whose lives have been saved with standard IRVIN Parachutes

•  
Everywhere  
Aviators  
depend  
on it.



**STANDARD**  
type equipment for  
the Air Forces of  
over 45 Governments  
including those of the  
United States and Great  
Britain.

**IRVIN CHAIR CHUTES**  
for Cabin Planes, for personal  
and business use.


Consult any engineer on  
your chute problem

**IRVING AIR CHUTE CO., INC.**

1670 Jefferson Ave., Buffalo, N. Y.

Factories at: Bedford, N. Y.; Glendale, Calif.; Fort  
Lee, Canada; Luton, England.

**PORTERFIELD**



**SAFETY**

**ECONOMY**

**COMFORT**

**PERFORMANCE**

The new Porterfield is raising eyebrows everywhere it is shown. To the prospective buyer it offers the ultimate in a sport-trainer. Tops in performance, the new Model 50 cruises at 82 m.p.h., with a top speed of well over 100 m.p.h. Powered by its Continental 50 h.p. engine it climbs fully loaded 550 ft. per minute and has a cruising radius of 250 miles. The comfort of its spacious interior coupled with its many

safety features have become a by-word wherever airplanes are flown. And the added fact that the new model 50 sells for only \$1495 or \$485 down, makes Porterfield a truly amazing buy in ultra-modern aircraft.

Prospective distributors will recognize Porterfields as the ideal sport-trainers for quick turnover. Everybody knows about Porterfield, a leader at most airports.

SEE THE NEW TYPE PORTERFIELDS AT THE NATIONAL AIR RACES

Bally with the aviation spirit.

For information visit the Porterfield Headquarters, Hollister Hotel, Cleveland.

Or write the factory 1726 Warash Avenue, Kansas City, Mo.

**PORTERFIELD AIRCRAFT CORPORATION**

E. E. PORTERFIELD, Sr., Pres.

1726 WARASH AVENUE KANSAS CITY MISSOURI

COL. B. YERGEN, V.P.



**AIRMAX**

The  
**STANDARDIZED**  
STEAM HEATING PLANT  
for ANY CABIN AIRCRAFT

Product of  
**SOLAR**  
Aircraft Company

837 1102  
SAN DIEGO NEW YORK  
LINDSEY FIELD 40 E. 12nd STREET

SEE SHOW  
ON RIGHT  
TO GET LATEST  
ENGINEER



An  
Example  
of Fine  
Machining

The cylinder head and barrel assembly shown illustrated is typical of the class of machine work which we are now steadily being called upon to produce for leading makers of aircraft and automotive engine parts. Our specialists are machine machining in fine tolerances, and also expert metal work. When you are faced with problems of this character, we are in a position to help you solve them.

Write Us Concerning Your Requirements

THE  
**GOVRO-NELSON**  
COMPANY

1931 Ancoisette Detroit, Mich.

*A Leader*  
IN AIR PROGRESS!



FIRST to establish rigid commercial standards for the manufacturers of commercial "Stanavo" has been made known to the industry by the rapid adoption of Stanavo by leading aircraft designers. And "Stanavo" remains an aircraft design, and a future program, too... will keep flying with future progress, too... Stanavo's standard will become the future of the aircraft industry. Based on "Stanavo" for your plane.

**STANAVO**  
Aircraft Gasoline

STANAVO SPECIFICATION BOARD, INC.  
222 South Street, San Francisco, California

**B★A★30**

B-A-30 airplane wing cloth is lighter, stronger and more closely woven than other aircraft fabrics. Inquiries from dealers and manufacturers will receive prompt attention.

WELLINGTON SEARS COMPANY 21 BROAD ST. NEW YORK, N.Y.

AT YOUR SERVICE



Forty years of experience in the application of ingenuity and precision to mechanical and electrical problems.

DUPLEX CINEMA EQUIPMENT

1872 Santa Monica Blvd. Hollywood, Cal.  
Phone: BR 6046 1017



There Are Reasons For  
**LUSCOMBE**  
POPULARITY

In a few months over 200 ALL METAL Luscombe have been delivered to satisfied owners all over the World. Luscombe popularity results from superior performance and greater value at the same low price. See and fly the new ALL METAL Luscombe. Note its exceptional visibility and graceful lines. You'll marvel at its 3000 foot-a-minute climb. Its 104 mile-an-hour cruising speed and the quiet comfort of its spacious cabin will impress you. Its slow landing speed and automatic characteristics make it desirable for student use.

THERE is more dollar value in materials used in Luscombe than in any other low priced airplane.

Strong fire-resisting metals mean safety, ease of repair and longer life.

SEE the Luscombe on display in the Industrial Building, New York World's Fair.

ALL METAL *Luscombe* SAFETY

Luscombe 104-105, 40-105, 40-105-105

For further information and prices see your dealer or write Dept. 17

**LUSCOMBE AIRPLANE CORPORATION**  
West Trenton, New Jersey

**NO RIVETS**  
**NO SCREWS**  
**NO SEAMS**



to mar the Smooth Working Surface of "HALLOWELL" STEEL BENCHES

Smoothness is permanently insured when you equip with "Hallowell" Steel Work Benches. No danger of the type ruffling, splintering or cracking... no chance for them to get all scratched, split. There's sturdy enough for heavy work... slick enough for precision work.

"Hallowell" Benches are of a standardized construction, easily demonstrated for moving to new shops. Increase and they set up strong, firm and smooth as ever... as different from the ordinary wooden bench that becomes bending wood when loaded.

Two or more "Hallowell" Benches can be easily joined end to end where a long continuous working surface is needed.

There are 1948 bench combinations for you to choose from so you're sure to be suited exactly. Priced right, shipped from stock without delay. Get our catalog then order you all the facts.

**STANDARD PRESSED STEEL CO.**  
BRIDGEVILLE, PENNSYLVANIA  
CHICAGO, ILLINOIS  
NEW YORK, N.Y.  
SAN FRANCISCO, CALIF.

Over 50 years of business paper publishing experience plus a large field force and trained personnel enable McGraw-Hill to offer a unique Direct Mail List Service—Write today for your copy of "Hundreds of Thousands of Reasons Why"—It will tell you about McGraw-Hill Lists and how they are getting results for others.

#### What Fields Do You Want To Reach

Aviation Industry  
Box & Transport Industries  
Business Instruments  
Chemical Process Industries  
Civil Engineering & Construction  
Coal Mining  
Electrical Appliance Dealers  
Electrical Contractors  
Electrical Industry  
Electrical Wholesalers  
Food Industries  
Manufacturing Industries  
Metal Mining  
Metal Working Industries  
Mill Supply Distributors  
Power Engineers  
Product Engineers  
Radio Dealers & Wholesalers  
Radio Engineers  
Textile Industries



**Mc GRAW-HILL**  
DIRECT MAIL LIST SERVICE

EXPRESS MAIL DELIVERY

McGraw-Hill Publishing Co., Inc., 330 W. 42nd Street, New York

## Air Progress has never had to wait for ignition to "catch up"

WHAT a way for any—less aviation's early "mop and plow" in the thoroughly reliable production-made aircraft ignition equipment produced here!

It is a point of particular pride among aircraft ignition specialists, that never since those first lightning Dayton has the aircraft industry's steady persistence been indicated by any indication of lagging.

Scintilla Aircraft Ignition Equipment, however, breaks the world over, today reaches heights of electrical and mechanical efficiency undreamed of a few years ago. To secure a steady ignition is already well developed in Scintilla's laboratory. It will be nothing, no more, when our industry catches it. It will be less than even.

RENGE  
AIRCRAFT  
SPARK PLUGS

**SCINTILLA MAGNETO**

Division of Bendix Aviation Corporation  
SIDNEY, NEW YORK

RENGE  
SCINTILLA  
AIRCRAFT  
MAGNETO

## IMPROVE CONSTRUCTION LOWER ASSEMBLY COSTS



#### SPECIFIC ADVANTAGES

1. Shorter installation time.
2. Requires only one man to install.
3. Only one drilled hole needed.
4. No lock bolting necessary.
5. Diameter saving 40%.
6. Not affected by oil or heat.
7. Saves locking device position and long waiting.
8. Greater strength and safety.
9. Lower unit production cost.

Specification of Lok-Skru Fasteners by so many design engineers is the result of exhaustive tests proving the greater strength and lower cost of this unique method of making attachments. Available in various lengths and types for metal thicknesses from .010 to .145 Lok-Skru Fasteners have such wide adaptability in modern production that new uses and advantages are being found constantly. They are Army and Navy approved. General applications range as wide as attachment of horizontal stabilizer fillets, wing fillets, nacelle fillets, exhaust tail pipe fitting and shimming, interior upholstery panels, door and window frames, hand hole covers, control beams, etc. Your inquiries regarding specific applications and services are invited.

THE DILL MANUFACTURING COMPANY • CLEVELAND, OHIO  
Akron • Detroit • Los Angeles • Toronto





## WHERE TO BUY

(SUPPLEMENT)

New Equipment—Accessories—Materials—Supplies



**Noc-Out**  
RING CLAMP

Wherever they know flying...  
 They know the Noc-Out Ring Clamp. The only ring clamp that can be used on any size ring. The only ring clamp that can be used on any size ring. The only ring clamp that can be used on any size ring.

**WETTER MFG. CO.**  
 1000 N. 1st St., Waukegan, Ill. 60087

**P H E N I X**  
**AIRPLANE COPIES**  
CLEAR and FUMED  
THESE AIRCRAFT PRODUCTS CO.  
8845 Main St. Williamsport, N.Y.

**Extraction  
Fast Feet**

ATTENTION: We have recently moved  
2800 South St. (at 10th Ave.)  
Bldg. 1000, Suite 100, St. Louis, MO 63104  
Trade and non-trade inquiries invited. For all inquiries  
please call (314) 431-1100. Fax: (314) 431-1101.  
LIVINGSIDE INCORPORATED  
4001 NORTH BROADWAY, CHICAGO, ILL. 60641

STANDARD AIRCRAFT FINISHES  
Since 1916  
**TITANINE**  
TITANINE INC. UNION, N. J.

**BRAKE  
TAIL WHEELS!**  
For All Light Aircraft  
Simple Attachment • Efficient Operation  
\$25.00

**Wash. State  
with  
Flammable  
Gasoline  
Nozzle  
Nozzle  
Time  
\$47.50**

**Whispering with strong pressure**

**"TAXI WITH SAFETY"**

**Features:**

- The Chugging, Roiling  
Gasoline Nozzle
- Whispering
- Removes your Gasoline Fuel Nozzle Fast!

**Advantages:**

- Whispering with strong pressure
- Removes your Gasoline Fuel Nozzle Fast!
- Whispering with strong pressure

**Write to see U.S.D. literature**

**AERONAUTICAL TRADING CO.**  
514 1/2 Belmont Airport, Brooklyn, N. Y.

**AMERICAN FLEA SNIP CO. INC.**  
 1000 N. 1st St., Suite 100  
 Minneapolis, MN 55401  
 (612) 338-1111  
 Fax: (612) 338-1112  
 E-mail: [info@americanflea.com](mailto:info@americanflea.com)  
 Web: [www.americanflea.com](http://www.americanflea.com)

## BOOKS

**DON'T GUESS...  
KNOW!!**



- AIRPLACES
- ENGINES
- NAVIGATION
- METEOROLOGY
- RULES and
- REGULATIONS

**PLANE FORMWHEELS  
PLANE FORMWHEELS**

**147 Illustrations**

A volume packed with essential plane facts, this is the most complete and authoritative reference on airplanes, aircraft, navigation, meteorology, and regulations. It's the only book that contains everything you need to know about the world of flight. It's the only book that contains everything you need to know about the world of flight. It's the only book that contains everything you need to know about the world of flight.

**WATSON \$19.95**

## Getting a Job in Aviation

[illegible]

**The**  
**WHERE TO BUY**  
**SECTION**  
*of*  
**"AVIATION"**

*supplements other advertising in this issue with these additional announcements of products and services essential to modern aeronautical work. Make a habit of checking this page each issue.*

**POWER PUBLISHING**  
COMPANY  
38 CLINTON ST., NEWARK, N. J.  
One million more will benefit.

McGraw-Hill Book Company, Inc.  
1221 W. 43rd St., New York City

*Again—We Score!!*

AUTHORIZED PIONEER, SPERRY • U. S. gauge Sales and Service  
MAGNAFLUX SERVICE • • • • • Instrument Overhaul  
CONTINENTAL SALES AND SERVICE • • • • General Supplies

**SNYDER** Municipal Airport  **AIRCRAFT**  
Chicago, Illinois

**SAC** SAFETY FOR **INSTRUMENTS**  
NEW — USED — ALL TYPES — SALES — REPAIR  
**STANDARD AIRCRAFT EQUIPMENT COMPANY**  
Hermes, 25, Roosevelt Field, Mineola, L. I., N. Y.      Garden City, N. Y.

ENGINEERING NO. \_\_\_\_\_ CONSTRUCTING NO. \_\_\_\_\_  
LICENSING TESTING



Associated Technical Development Co.

**COPY**  
For  
**"MARKET PLACE"**  
**Advertisements**  
In the  
**OCTOBER ISSUE**  
Required by  
**September 14th**

**ENGINE AIR SERVICE, INC.**  
Borwick Park Illinois L. I. N. T.  
Borwick City 6042

Authorized Service for  
**WRIGHT—CONTINENTAL—MILCO**  
Service for  
**PIATT & WHITNEY, LYCOMING**  
Complete line of parts for all types  
of engines  
**MAGNAFLUX SERVICE**

**TOOLS**  
 Supplies for & Air Transport Vehicle Tool  
 - and more - available today  
**AIR TRANSPORT EQUIP. CO.**  
 Newark, N.J.      Chicago, Ill.

Read the Experts' Top 1000 aircraft and the Top 1000 Best Selling aircraft along with the year-to-date sales figures for the Top 1000 aircraft.

**HAERDT**  
1000 TOPS



Write: American Screw Sellers  
**PESTER'S  
 PROPELLERS**  
 10055AVALA DRIVE  
 MANHATTAN, N.Y., U.S.A.  
 U.S. Branch of AIR MAIL

**Keesh Aircraft, Inc.**  
**STINSON**  
DISTRIBUTORS  
Hangar F, Roosevelt Field  
Mineola, L. I., N. Y.  
Telephone Garden City 2200

**FRANK AMBROSE, INC.**  
Dealers and Repairs  
AIRPLANE, ENGINE, PARTS & SUPPLIES  
Chicago  
Wilmette  
New York  
Evansville  
St. Louis Field  
Minneapolis & N. Y.

**VULTEE V-1A TRANSPORT  
AIRPLANES**

Ten Power Planes with Weight Options  
Engine: Havard and Ford Plans Available

**ENGINE**

Type	H.P.	Maneuvering	Type	H.P.
Kormor	200-212	Fast & Wide	Wing	612
Biplane	180-220	Wide		
Engine	200	Wide	4-6	200
Engine	212	Cargo	5-7	212
Liberty	200	Maneuvering	Transport	200-212

Engines Available in Operation

**THE VORLAME COMPANY, Inc.,**  
P.O. Box 100, New York, N.Y.

[illegible][illegible]

**? Find what you are looking for ?**

**? Is it a car or other vehicle? Or  
the name of a person? The  
address? Type it in before  
or search ends ?**

**ATTENTION**

**101 W. 4th St., New York, N. Y.**

## AVIATION NEEDS

Instrument  
Technicians

Only includes instrument school to produce  
Certified Instrument Technicians.  
U.S. & Canadian Instrument Technicians  
Will support. Personal flight each student  
Personal practice. Students receive  
the complete basic only course  
with the instrument flying time built in.

AMERICAN SCHOOL of  
Aircraft Instruments

AMERICAN SCHOOL of  
Aircraft Instruments  
1000 N. 10th St., Suite 200  
Phoenix, Arizona 85006

Phone: (602) 944-1111  
Telex: 944-1111  
Cable: 944-1111

## PREPARE FOR A SUCCESSFUL CAREER IN AVIATION

The LUSCOMBE SCHOOL OF AERO-  
NAUTICS offers thorough, practical training  
in the production of Civil and Military  
Aircraft, or for their maintenance and  
repair in the field.

LUSCOMBE TRAINING is recognized by  
Civil Aeronautics Authority, and by leading  
universities who have absorbed over  
80% of our graduates.

Next class starts Oct. 31  
We select our students, and we follow "Discipline  
is the foundation", and to study every course.

West Tisbury  
New Jersey

LUSCOMBE  
SCHOOL OF AERONAUTICS



First step is to give you the  
complete knowledge of the  
Aircraft as it is produced in the  
factory. The student will be  
able to maintain the aircraft.

Student of LUSCOMBE School  
of Aeronautics

# YOU...



## What will Curtiss-Wright Tech training do for you?

The wise investor always determines in advance  
what the return will be on his investment before  
he puts cash "on the line". You, who plan to  
invest in a course of training to prepare you  
for your future, must do the same. It is even  
more important to you, since your choice of  
training will determine how much money you  
will make all the rest of your life, Curtiss-Wright  
Tech career training is carefully designed to  
do just one thing—MAKE MONEY FOR YOU,  
and for all other Curtiss-Wright Tech graduates.

Our hundreds of successful graduates prove that  
Curtiss-Wright Tech training gets results and al-  
ways pays. It has provided them with a profitable  
occupation and secure future since it trained  
them in advance for the highest position they  
could ever expect to occupy. IT CAN DO THE  
SAME FOR YOU.

We invite your consideration, investigation and  
comparison. The handy coupon will bring you  
full details. Use it.

CURTISS  
TECHNICAL  
WRIGHT  
INSTITUTE  
YOUR PERSONAL SUPERVISOR OF MAJOR C. C. WRIGHT DIRECT ITS ESTABLISHMENT IN 1908  
GRAND CENTRAL AIR TERMINAL • 1226 AIRWAY  
GLENDALE (LOS ANGELES) CALIFORNIA

Offering specialized and proven training in

## Aeronautical Engineering & Master Mechanics

MAIL THIS HANDY  
COUPON TODAY!

Please send me detailed information and catalog on the course checked below

Major Courses Checked

☐ MASTER AVIATION MECHANICS ☐ POST GRADUATE ENGINEERING ☐ AERONAUTICAL ENGINEERING

☐ AERONAUTICAL ENGINEERING ☐ AIRCRAFT SHEET METAL ☐ PLASTIC REPAIRING

NAME \_\_\_\_\_ Age \_\_\_\_\_ Sex \_\_\_\_\_ (Please Print Name)

ADDRESS \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

## WANTED!

ALL YOUNG MEN INTERESTED IN WORKING OUT ONE-HALF OF THEIR FLYING OR MECHANIC COURSES, WRITE OPERATIONS MANAGER FOR FULL PARTICULARS.

1000 N. 10th St., Suite 200  
Phoenix, Arizona 85006  
STUDENT INTERVIEW  
CHASER 1000  
AIRCRAFT SALES AND SERVICE  
AIRCRAFT PERFORMANCE  
AIRCRAFT REPAIRING

## AVIATION APPRENTICES

REQUIREMENTS: 1. U.S. CITIZENSHIP  
2. HIGH SCHOOL GRADUATE  
3. 18 YEARS OF AGE  
4. 5'6" TALL  
5. 150 LBS. WEIGHT  
6. 100% VISION  
7. 100% HEARING  
8. 100% PHYSICAL  
9. 100% MENTAL  
10. 100% CHARACTER

## INSTRUMENT FLYING INSTRUCTIONS

Sendograph Aeronautical Corp.  
Cleveland, Ohio

AIRCRAFT  
SCHOOL  
1000 N. 10th St., Suite 200  
Phoenix, Arizona 85006

For Additional Advertising  
of  
Schools and Flying Instructions  
See Pages 75, 95, 91, 103, 109, 116, 117 and 127







# LEARADIO RECEIVER AMR-1

Designed to bring the benefits of quality aircraft radio within the reach of every owner and operator in America!



BEFORE YOU BUY, COMPARE WITH BATTERIES, HEADPHONES AND CABLES. SEE A "REAL AL" "REAL AL" "REAL AL"

If you a radio receiver was custom made to fit the present requirements of aircraft pilots and pilots' needs, it is certainly the AMR-1. Its present weight is less than 11 pounds complete, including the variable capacitor for all tube phones, as well as for headset phones where products are provided by other equipment.

So small in size, so light in weight, as mentioned in price, the AMR-1 is, nevertheless, definitely not a scaled down model of any larger set. The AMR-1 is, in every way, a sturdy, highly sensitive, thoroughly businesslike performer that will bring all pilots who use it the satisfaction and security that are the prerogative of every Learadio product!

Read over the list particulars and specifications of this new, high-quality, low-cost, rugged radio receiver!

**ONLY \$99**

COMPLETE WITH THREE BATTERIES, HEADPHONES AND CABLES. THREE-WIRELESS.

## IMPORTANT!

How to purchase the Learadio AMR-1. Please note! Designed for use with the AMR-1 receiver. Requires no extra batteries when used in conjunction with the AMR-1. Uses the same batteries with only the slightest reduction in battery life. Adds only four pounds to the total weight—less only \$99.99. Write today for full particulars.



## 500-500 KHz

Because of its extremely high degree of selectivity, the AMR-1 eliminates the need for the filter usually required for receiving simultaneous range transmissions. Simply tune in slightly below the required frequency and the AMR-1 will give you, clear reception of the more important one.

## LONG BATTERY LIFE

The AMR-1 is powered by dry batteries and one set will last more than 100 hours! (Based on three-hour operation daily!) New batteries may be obtained practically anywhere, or, almost from the factory, if you prefer. In this low operating cost of less than four cents an hour, the AMR-1 is certainly a standard bargain in safety and peace of mind!

## IDEAL IF YOU WANT

You don't have to let a radio expert to install the AMR-1 receiver. You don't do it yourself, or run the job over to your local mechanic. The entire unit is completely factory wired and factory partitioned. The only thing you do is simply connect the antenna. Designed to be installed within any reach of the pilot.

## P-I-A-S-HI


How far does the first three, a dependable radio direction finder is brought within the reach of all that you don't have to buy a special receiver for the purpose. Learadio offers you a modern, highly practical radio direction finder by connecting your AMR-1.

\$179.99 for accessories, at \$179.99. Complete with AMR-1 receiver! Write for information.

**LEAR DEVELOPMENTS, INC.**

ROOSEVELT FIELD, MINNEAPOLIS, L. L., N. Y.

Export Department: 27 West Street, N. Y. Cable address: Learradio



THIS IS *Aluminum* READY

TO GIVE ITS LAST OUNCE OF STRENGTH FOR YOU

These are extrusions made by forcing metal through a die, to give exactly the cross section needed. There are no unnecessary corners. Every ounce is used to its strength can work for you.

So it is not unusual that extrusions of Alcoa Aluminum Alloys are used extensively in aircraft structures. They give the most strength for the weight. They can be made to interlock, too, and thus simplify the requirements of strength. You have seen them applied for parts ranging from wing spars to the decorative moulding inside the cabin.

Development of the technique of making extrusions of Alcoa Aluminum Alloys for aircraft has been forwarded by the experience of

working closely with aircraft engineers. The shapes which are now being produced are highly efficient, often result in significant weight savings, and reduce costs.

In these respects extruded shapes of Alcoa Aluminum Alloys are characteristic of the production of Alcoa Aluminum for aircraft use. Close cooperation with aircraft builders has made it possible to provide not only the natural advantages of Aluminum, but also the "last ounce" of mechanical strength which comes from perfecting production methods to the requirements of the user. ALCOA COMPANY or AMERICA, 2182 Golf Building, Pittsburgh, Pennsylvania.



**ALCOA ALUMINUM**

AVIATION  
September 1937

# Eclipse Equipment

**HELPS BLAZE ANOTHER  
AIR-TRAIL**



## AMERICAN EXPORT'S NEW SURVEY AIRLINER



### *Eclipse-Equipped!*

American Export Airlines' new Consolidated Survey Flying Boat carries:

Eclipse AC and DC Generators, Starters, Auxiliary Power Supply Unit, Booster Coils, Control Boxes, Flowmeters, Float Retracting Motors, Valves and Oil Separators.

With a background of a hundred brilliant non-stop flights to Hawaii, the Consolidated PB4Y-1 tackles an inspiring new task—30-hour scheduled flights to France. American Export Airlines, specifying Eclipse Equipment for the great 2400 horsepower flying boat, has followed a tradition solidly based upon the satisfying performance of Eclipse accessory units on the planes of every airline in America, and most airlines abroad.

**ECLIPSE AVIATION**

**DIVISION OF BENDIX AVIATION CORPORATION**

**BENDIX, NEW JERSEY**